

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0011.A/KW.A	9 365	Varavoimalaite 10 / 11 kVA / Open / Autom.	Kohler - KDW 1404 (M) - Meccalte - ECP3-1L/4	Greenpower GP11A/KW-A / 1300 X 700 X 1000 / 350 kg
GP.0011.A/KW.C.A	9 167	Varavoimalaite 10 / 11 kVA / Open / Autom.	Kohler - KDW 1404 (M) - Linz - E1S13SB/4	Greenpower GP11A/KW-C-A / 1300 X 700 X 1000 / 340 kg
GP.0011.A/PW.A	9 167	Varavoimalaite 9 / 10 kVA / Open / Autom.	Perkins - 403A-11G1 (M) - Meccalte - ECP3-1L/4	Greenpower GP11A/PW-A / 1300 X 700 X 1000 / 375 kg
GP.0011.A/PW.C.A	8 968	Varavoimalaite 9,1 / 10 kVA / Open / Autom.	Perkins - 403A-11G1 (M) - Linz - E1S13SB/4	Greenpower GP11A/PW-C-A / 1300 X 700 X 1000 / 360 kg
GP.0011.A/YW.A	9 008	Varavoimalaite 8,7 / 9,5 kVA / Open / Autom.	Yanmar - 3TNV76 (M) - Meccalte - ECP3-1L/4	Greenpower GP11A/YW-A / 1300 X 700 X 1000 / 450 kg
GP.0011.A/YW.C.A	8 829	Varavoimalaite 8,7 / 9,5 kVA / Open / Autom.	Yanmar - 3TNV76 (M) - Linz - E1S13SB/4	Greenpower GP11A/YW-C-A / 1300 X 700 X 1000 / 450 kg
GP.0011.S/KW.A	11 766	Varavoimalaite 10 / 11 kVA / Soundproof / Autom.	Kohler - KDW 1404 (M) - Meccalte - ECP3-1L/4	Greenpower GP11S/KW-A / 1750 X 700 X 1125 / 500 kg
GP.0011.S/KW.C.A	11 567	Varavoimalaite 10 / 11 kVA / Soundproof / Autom.	Kohler - KDW 1404 (M) - Linz - E1S13SB/4	Greenpower GP11S/KW-C-A / 1750 X 700 X 1125 / 490 kg
GP.0011.S/PW.A	11 369	Varavoimalaite 9 / 10 kVA / Soundproof / Autom.	Perkins - 403A-11G1 (M) - Meccalte - ECP3-1L/4	Greenpower GP11S/PW-A / 1750 X 700 X 1125 / 487 kg
GP.0011.S/PW.C.A	11 171	Varavoimalaite 9,1 / 10 kVA / Soundproof / Autom.	Perkins - 403A-11G1 (M) - Linz - E1S13SB/4	Greenpower GP11S/PW-C-A / 1750 X 700 X 1125 / 475 kg
GP.0011.S/YW.A	11 270	Varavoimalaite 8,7 / 9,5 kVA / Soundproof / Autom.	Yanmar - 3TNV76 (M) - Meccalte - ECP3-1L/4	Greenpower GP11S/YW-A / 1750 X 700 X 1100 / 580 kg
GP.0011.S/YW.C.A	11 071	Varavoimalaite 8,7 / 9,5 kVA / Soundproof / Autom.	Yanmar - 3TNV76 (M) - Linz - E1S13SB/4	Greenpower GP11S/YW-C-A / 1750 X 700 X 1100 / 580 kg
GP.0011.SH/KW.A	10 873	Varavoimalaite 10 / 11 kVA / Soundproof / Autom.	Kohler - KDW 1404 (M) - Meccalte - ECP3-1L/4	Greenpower GP11SH/KW-A / 1750 X 700 X 1020 / 448 kg
GP.0011.SH/KW.C.A	10 675	Varavoimalaite 10 / 11 kVA / Soundproof / Autom.	Kohler - KDW 1404 (M) - Linz - E1S13SB/4	Greenpower GP11SH/KW-C-A / 1750 X 700 X 1020 / 436 kg
GP.0011.SH/PW.A	10 516	Varavoimalaite 9 / 10 kVA / Soundproof / Autom.	Perkins - 403A-11G1 (M) - Meccalte - ECP3-1L/4	Greenpower GP11SH/PW-A / 1300 X 700 X 970 / 415 kg
GP.0011.SH/PW.C.A	10 337	Varavoimalaite 9,1 / 10 kVA / Soundproof / Autom.	Perkins - 403A-11G1 (M) - Linz - E1S13SB/4	Greenpower GP11SH/PW-C-A / 1300 X 700 X 970 / 403 kg
GP.0011.SH/YW.A	10 456	Varavoimalaite 8,7 / 9,5 kVA / Soundproof / Autom.	Yanmar - 3TNV76 (M) - Meccalte - ECP3-1L/4	Greenpower GP11SH/YW-A / 1300 X 700 X 970 / 510 kg
GP.0011.SH/YW.C.A	10 258	Varavoimalaite 8,7 / 9,5 kVA / Soundproof / Autom.	Yanmar - 3TNV76 (M) - Linz - E1S13SB/4	Greenpower GP11SH/YW-C-A / 1300 X 700 X 970 / 510 kg
GP.0016.A/DW.A	11 012	Varavoimalaite 12,5 / 13,1 kVA / Open / Autom.	Deutz - F2M2011 (OIL) (M) - Meccalte - ECP3-2L/4	Greenpower GP16A/DW-A / 1500 X 700 X 1020 / 497 kg
GP.0016.A/DW.C.A	10 833	Varavoimalaite 12,5 / 13,1 kVA / Open / Autom.	Deutz - F2M2011 (OIL) (M) - Linz - E1S13ME/4	Greenpower GP16A/DW-C-A / 1500 X 700 X 1020 / 455 kg
GP.0016.A/PW.A	10 099	Varavoimalaite 13,1 / 14,5 kVA / Open / Autom.	Perkins - 403A-15G1 (M) - Meccalte - ECP3-2L/4	Greenpower GP16A/PW-A / 1500 X 700 X 1020 / 490 kg
GP.0016.A/PW.C.A	9 921	Varavoimalaite 13,3 / 14,5 kVA / Open / Autom.	Perkins - 403A-15G1 (M) - Linz - E1S13ME/4	Greenpower GP16A/PW-C-A / 1500 X 700 X 1020 / 475 kg
GP.0016.A/YW.A	10 476	Varavoimalaite 13,7 / 15 kVA / Open / Autom.	Yanmar - 3TNV88 (M) - Meccalte - ECP3-2L/4	Greenpower GP16A/YW-A / 1500 X 700 X 1020 / 465 kg
GP.0016.A/YW.C.A	10 298	Varavoimalaite 13,7 / 15 kVA / Open / Autom.	Yanmar - 3TNV88 (M) - Linz - E1S13ME/4	Greenpower GP16A/YW-C-A / 1500 X 700 X 1020 / 465 kg
GP.0016.S/DW.A	13 175	Varavoimalaite 12,5 / 13,1 kVA / Soundproof / Autom.	Deutz - F2M2011 (OIL) (M) - Meccalte - ECP3-2L/4	Greenpower GP16S/DW-A / 1750 X 700 X 1125 / 595 kg
GP.0016.S/DW.C.A	12 996	Varavoimalaite 12,5 / 13,1 kVA / Soundproof / Autom.	Deutz - F2M2011 (OIL) (M) - Linz - E1S13ME/4	Greenpower GP16S/DW-C-A / 1750 X 700 X 1125 / 610 kg
GP.0016.S/PW.A	12 262	Varavoimalaite 13,1 / 14,5 kVA / Soundproof / Autom.	Perkins - 403A-15G1 (M) - Meccalte - ECP3-2L/4	Greenpower GP16S/PW-A / 1750 X 700 X 1125 / 575 kg
GP.0016.S/PW.C.A	12 083	Varavoimalaite 13,3 / 14,5 kVA / Soundproof / Autom.	Perkins - 403A-15G1 (M) - Linz - E1S13ME/4	Greenpower GP16S/PW-C-A / 1750 X 700 X 1125 / 575 kg
GP.0016.S/YW.A	12 540	Varavoimalaite 13,7 / 15 kVA / Soundproof / Autom.	Yanmar - 3TNV88 (M) - Meccalte - ECP3-2L/4	Greenpower GP16S/YW-A / 1750 X 700 X 1125 / 565 kg
GP.0016.S/YW.C.A	12 381	Varavoimalaite 13,7 / 15 kVA / Soundproof / Autom.	Yanmar - 3TNV88 (M) - Linz - E1S13ME/4	Greenpower GP16S/YW-C-A / 1750 X 700 X 1125 / 610 kg
GP.0016.SH/DW.A	12 500	Varavoimalaite 12,5 / 13,1 kVA / Soundproof / Autom.	Deutz - F2M2011 (OIL) (M) - Meccalte - ECP3-2L/4	Greenpower GP16SH/DW-A / 1750 X 700 X 1020 / 582 kg
GP.0016.SH/DW.C.A	12 321	Varavoimalaite 12,5 / 13,1 kVA / Soundproof / Autom.	Deutz - F2M2011 (OIL) (M) - Linz - E1S13ME/4	Greenpower GP16SH/DW-C-A / 1750 X 700 X 1020 / 577 kg
GP.0016.SH/PW.A	11 488	Varavoimalaite 13,1 / 14,5 kVA / Soundproof / Autom.	Perkins - 403A-15G1 (M) - Meccalte - ECP3-2L/4	Greenpower GP16SH/PW-A / 1750 X 700 X 1020 / 540 kg
GP.0016.SH/PW.C.A	11 310	Varavoimalaite 13,3 / 14,5 kVA / Soundproof / Autom.	Perkins - 403A-15G1 (M) - Linz - E1S13ME/4	Greenpower GP16SH/PW-C-A / 1750 X 700 X 1020 / 560 kg
GP.0016.SH/YW.A	11 766	Varavoimalaite 13,7 / 15 kVA / Soundproof / Autom.	Yanmar - 3TNV88 (M) - Meccalte - ECP3-2L/4	Greenpower GP16SH/YW-A / 1750 X 700 X 1020 / 555 kg
GP.0016.SH/YW.C.A	11 587	Varavoimalaite 13,7 / 15 kVA / Soundproof / Autom.	Yanmar - 3TNV88 (M) - Linz - E1S13ME/4	Greenpower GP16SH/YW-C-A / 1750 X 700 X 1020 / 530 kg
GP.0018.A/KW.A	9 623	Varavoimalaite 15,1 / 16,6 kVA / Open / Autom.	Kohler - KDW1603 (M) - Meccalte - ECP3-3L/4	Greenpower GP18A/KW-A / 1500 X 700 X 1020 / 475 kg
GP.0018.A/KW.C.A	9 464	Varavoimalaite 15,1 / 16,6 kVA / Open / Autom.	Kohler - KDW1603 (M) - Linz - E1S13ME/4	Greenpower GP18A/KW-C-A / 1500 X 700 X 1020 / 395 kg
GP.0018.A/PW.A	10 575	Varavoimalaite 15 / 17 kVA / Open / Autom.	Perkins - 403A-15G2 (M) - Meccalte - ECP3-3L/4	Greenpower GP18A/PW-A / 1500 X 700 X 1020 / 490 kg
GP.0018.A/PW.C.A	10 397	Varavoimalaite 15 / 16,5 kVA / Open / Autom.	Perkins - 403A-15G2 (M) - Linz - E1S13ME/4	Greenpower GP18A/PW-C-A / 1500 X 700 X 1020 / 420 kg
GP.0018.S/KW.A	11 825	Varavoimalaite 15,1 / 16,6 kVA / Soundproof / Autom.	Kohler - KDW1603 (M) - Meccalte - ECP3-3L/4	Greenpower GP18S/KW-A / 1750 X 700 X 1125 / 570 kg
GP.0018.S/KW.C.A	11 667	Varavoimalaite 15,1 / 16,6 kVA / Soundproof / Autom.	Kohler - KDW1603 (M) - Linz - E1S13ME/4	Greenpower GP18S/KW-C-A / 1750 X 700 X 1125 / 566 kg
GP.0018.S/PW.A	12 738	Varavoimalaite 15 / 17 kVA / Soundproof / Autom.	Perkins - 403A-15G2 (M) - Meccalte - ECP3-3L/4	Greenpower GP18S/PW-A / 1750 X 700 X 1125 / 590 kg
GP.0018.S/PW.C.A	12 560	Varavoimalaite 15 / 16,5 kVA / Soundproof / Autom.	Perkins - 403A-15G2 (M) - Linz - E1S13ME/4	Greenpower GP18S/PW-C-A / 1750 X 700 X 1125 / 575 kg
GP.0018.SH/KW.A	10 933	Varavoimalaite 15,1 / 16,6 kVA / Soundproof / Autom.	Kohler - KDW1603 (M) - Meccalte - ECP3-3L/4	Greenpower GP18SH/KW-A / 1750 X 700 X 1020 / 525 kg
GP.0018.SH/KW.C.A	10 754	Varavoimalaite 15,1 / 16,6 kVA / Soundproof / Autom.	Kohler - KDW1603 (M) - Linz - E1S13ME/4	Greenpower GP18SH/KW-C-A / 1750 X 700 X 1020 / 520 kg
GP.0018.SH/PW.A	11 964	Varavoimalaite 15 / 17 kVA / Soundproof / Autom.	Perkins - 403A-15G2 (M) - Meccalte - ECP3-3L/4	Greenpower GP18SH/PW-A / 1750 X 700 X 1020 / 545 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0018.SH/PW.C.A	11 786	Varavoimalaite 15 / 16,5 kVA / Soundproof / Autom.	Perkins - 403A-15G2 (M) - Linz - E1S13ME/4	Greenpower GP18SH/PW-C-A / 1750 X 700 X 1020 / 560 kg
GP.0022. A/B.N.A	9 107	Varavoimalaite 20 / 22 kVA / Open / Autom.	Baudouin - 4M06G25/5 (E) - Meccalte - ECP28-M/4 C	Greenpower GP22 A/B-N-A / 1750 X 700 X 1100 / 570 kg
GP.0022. S/B.N.A	11 587	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Baudouin - 4M06G25/5 (E) - Meccalte - ECP28-M/4 C	Greenpower GP22 S/B-N-A / 2100 X 870 X 1165 / 710 kg
GP.0022.A/C.N.A	11 587	Varavoimalaite 20 / 22 kVA / Open / Autom.	Cummins - X2.5G2 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/C-N-A / 1750 X 700 X 1100 / 530 kg
GP.0022.A/DW.A	12 004	Varavoimalaite 20 / 22 kVA / Open / Autom.	Deutz - F3M2011 (OIL)(M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/DW-A / 1500 X 700 X 1020 / 565 kg
GP.0022.A/DW.C.A	11 806	Varavoimalaite 20 / 22 kVA / Open / Autom.	Deutz - F3M2011 (OIL) (M) - Linz - E1S13MF/4	Greenpower GP22A/DW-C-A / 1500 X 700 X 1020 / 515 kg
GP.0022.A/KW.A	11 190	Varavoimalaite 20 / 22 kVA / Open / Autom.	Kohler - KDI1903 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/KW-A / 1500 X 700 X 1020 / 520 kg
GP.0022.A/KW.C.A	10 992	Varavoimalaite 20 / 22 kVA / Open / Autom.	Kohler - KDI1903 (M) - Linz - E1S13MF/4	Greenpower GP22A/KW-C-A / 1500 X 700 X 1020 / 465 kg
GP.0022.A/PW.A	11 389	Varavoimalaite 20 / 22 kVA / Open / Autom.	Perkins - 404D-22G (M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/PW-A / 1500 X 700 X 1020 / 560 kg
GP.0022.A/PW.C.A	11 190	Varavoimalaite 20 / 22 kVA / Open / Autom.	Perkins - 404D-22G (M) - Linz - E1S13MF/4	Greenpower GP22A/PW-C-A / 1500 X 700 X 1020 / 530 kg
GP.0022.A/PW.N.A	11 052	Varavoimalaite 20 / 22 kVA / Open / Autom.	Perkins - 404A-22G1 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/PW-N-A / 1500 X 700 X 1020 / 560 kg
GP.0022.A/PW.N.C.A	10 833	Varavoimalaite 20 / 22 kVA / Open / Autom.	Perkins - 404A-22G1 (M) - Linz - E1S13MF/4	Greenpower GP22A/PW-N-C-A / 1500 X 700 X 1020 / 470 kg
GP.0022.A/YW.A	10 794	Varavoimalaite 19 / 21 kVA / Open / Autom.	Yanmar - 4TNV88 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22A/YW-A / 1500 X 700 X 1020 / 470 kg
GP.0022.A/YW.C.A	10 595	Varavoimalaite 19 / 21 kVA / Open / Autom.	Yanmar - 4TNV88 (M) - Linz - E1S13MF/4	Greenpower GP22A/YW-C-A / 1500 X 700 X 1020 / 500 kg
GP.0022.S/C.N.A	14 107	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Cummins - X2.5G2 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/C-N-A / 2100 X 870 X 1165 / 625 kg
GP.0022.S/DW.A	14 127	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Deutz - F3M2011 (OIL)(M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/DW-A / 1750 X 700 X 1125 / 760 kg
GP.0022.S/DW.C.A	13 929	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Deutz - F3M2011 (OIL) (M) - Linz - E1S13MF/4	Greenpower GP22S/DW-C-A / 1750 X 700 X 1125 / 740 kg
GP.0022.S/KW.A	13 373	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Kohler - KDI1903 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/KW-A / 1750 X 700 X 1125 / 630 kg
GP.0022.S/KW.C.A	13 175	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Kohler - KDI1903 (M) - Linz - E1S13MF/4	Greenpower GP22S/KW-C-A / 1750 X 700 X 1125 / 650 kg
GP.0022.S/PW.A	13 552	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404D-22G (M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/PW-A / 1750 X 700 X 1125 / 645 kg
GP.0022.S/PW.C.A	13 353	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404D-22G (M) - Linz - E1S13MF/4	Greenpower GP22S/PW-C-A / 1750 X 700 X 1125 / 645 kg
GP.0022.S/PW.N.A	13 214	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404A-22G1 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/PW-N-A / 1750 X 700 X 1125 / 645 kg
GP.0022.S/PW.N.C.A	13 016	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404A-22G1 (M) - Linz - E1S13MF/4	Greenpower GP22S/PW-N-C-A / 1750 X 700 X 1125 / 640 kg
GP.0022.S/YW.A	12 877	Varavoimalaite 19 / 21 kVA / Soundproof / Autom.	Yanmar - 4TNV88 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22S/YW-A / 1750 X 700 X 1125 / 620 kg
GP.0022.S/YW.C.A	12 579	Varavoimalaite 19 / 21 kVA / Soundproof / Autom.	Yanmar - 4TNV88 (M) - Linz - E1S13MF/4	Greenpower GP22S/YW-C-A / 1750 X 700 X 1125 / 690 kg
GP.0022.SH/DW.A	13 433	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Deutz - F3M2011 (OIL)(M) - Meccalte - ECP28-M/4 C	Greenpower GP22SH/DW-A / 1750 X 700 X 1020 / 600 kg
GP.0022.SH/DW.C.A	13 234	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Deutz - F3M2011 (OIL) (M) - Linz - E1S13MF/4	Greenpower GP22SH/DW-C-A / 1750 X 700 X 1020 / 620 kg
GP.0022.SH/KW.A	12 520	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Kohler - KDI1903 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22SH/KW-A / 1750 X 700 X 1020 / 588 kg
GP.0022.SH/KW.C.A	12 321	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Kohler - KDI1903 (M) - Linz - E1S13MF/4	Greenpower GP22SH/KW-C-A / 1750 X 700 X 1020 / 585 kg
GP.0022.SH/PW.A	12 917	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404D-22G (M) - Meccalte - ECP28-M/4 C	Greenpower GP22SH/PW-A / 1750 X 700 X 1020 / 625 kg
GP.0022.SH/PW.C.A	12 718	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404D-22G (M) - Linz - E1S13MF/4	Greenpower GP22SH/PW-C-A / 1750 X 700 X 1020 / 595 kg
GP.0022.SH/PW.N.A	12 579	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404A-22G1 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22SH/PW-N-A / 1750 X 700 X 1020 / 625 kg
GP.0022.SH/PW.N.C.A	12 381	Varavoimalaite 20 / 22 kVA / Soundproof / Autom.	Perkins - 404A-22G1 (M) - Linz - E1S13MF/4	Greenpower GP22SH/PW-N-C-A / 1750 X 700 X 1020 / 605 kg
GP.0022.SH/YW.A	12 083	Varavoimalaite 19 / 21 kVA / Soundproof / Autom.	Yanmar - 4TNV88 (M) - Meccalte - ECP28-M/4 C	Greenpower GP22SH/YW-A / 1750 X 700 X 1020 / 580 kg
GP.0022.SH/YW.C.A	11 885	Varavoimalaite 19 / 21 kVA / Soundproof / Autom.	Yanmar - 4TNV88 (M) - Linz - E1S13MF/4	Greenpower GP22SH/YW-C-A / 1750 X 700 X 1020 / 570 kg
GP.0030.A/C.N.A	12 004	Varavoimalaite 25 / 28 kVA / Open / Autom.	Cummins - X2.5G2 (M) - Meccalte - ECP28-2L/4 C	Greenpower GP30A/C-N-A / 1750 X 700 X 1100 / 600 kg
GP.0030.A/KW.A	12 917	Varavoimalaite 26 / 45105 kVA / Open / Autom.	Kohler - KDI2504M (M) - Meccalte - ECP28-VL/4 C	Greenpower GP30A/KW-A / 1750 X 700 X 1020 / 565 kg
GP.0030.S/C.N.A	14 544	Varavoimalaite 25 / 28 kVA / Soundproof / Autom.	Cummins - X2.5G2 (M) - Meccalte - ECP28-2L/4 C	Greenpower GP30S/C-N-A / 2100 X 870 X 1165 / 820 kg
GP.0030.S/KW.A	15 615	Varavoimalaite 26 / 45105 kVA / Soundproof / Autom.	Kohler - KDI2504M (M) - Meccalte - ECP28-VL/4 C	Greenpower GP30S/KW-A / 2100 X 870 X 1165 / 810 kg
GP.0030.SH/KW.A	14 147	Varavoimalaite 26 / 45105 kVA / Soundproof / Autom.	Kohler - KDI2504M (M) - Meccalte - ECP28-VL/4 C	Greenpower GP30SH/KW-A / 1850 X 700 X 1020 / 705 kg
GP.0033. A/B.N.A	10 119	Varavoimalaite 30 / 33 kVA / Open / Autom.	Baudouin - 4M06G35/5 (E) - Meccalte - ECP28-VL/4 C	Greenpower GP33 A/B-N-A / 1750 X 700 X 1100 / 720 kg
GP.0033. S/B.N.A	12 579	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Baudouin - 4M06G35/5 (E) - Meccalte - ECP28-VL/4 C	Greenpower GP33 S/B-N-A / 2100 X 870 X 1165 / 940 kg
GP.0033.A/C.N.A	13 016	Varavoimalaite 30 / 33 kVA / Open / Autom.	Cummins - X3.3G1 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/C-N-A / 1750 X 700 X 1100 / 680 kg
GP.0033.A/D.A	13 095	Varavoimalaite 30 / 33 kVA / Open / Autom.	Deutz - F4M 2011 (OIL) (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/D-A / 1750 X 700 X 1125 / 620 kg
GP.0033.A/I.N.A	12 440	Varavoimalaite 30 / 33 kVA / Open / Autom.	Iveco - M80313AM1P (E) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/I-N-A / 1750 X 700 X 1100 / 685 kg
GP.0033.A/K.A	14 008	Varavoimalaite 30 / 33 kVA / Open / Autom.	Kohler - KDI2504 TM-30 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/K-A / 1750 X 700 X 1020 / 640 kg
GP.0033.A/P.N.A	13 532	Varavoimalaite 30 / 33 kVA / Open / Autom.	Perkins - 1103A-33G (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/P-N-A / 1750 X 700 X 1100 / 685 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0033.A/Y.A	11 766	Varavoimalaite 30 / 33 kVA / Open / Autom.	Yanmar - 4TNV98 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33A/Y-A / 1750 X 700 X 1100 / 570 kg
GP.0033.S/C.N.A	15 556	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Cummins - X3.3G1 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/C-N-A / 2100 X 870 X 1165 / 880 kg
GP.0033.S/D.A	15 595	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Deutz - F4M 2011 (OIL) (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/D-A / 2100 X 870 X 1165 / 860 kg
GP.0033.S/I.N .A	14 940	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Iveco - M80313AM1P (E) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/I-N -A / 2100 X 870 X 1165 / 950 kg
GP.0033.S/K.A	16 587	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Kohler - KDI2504 TM-30 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/K-A / 2100 X 870 X 1165 / 810 kg
GP.0033.S/P.N.A	16 012	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Perkins - 1103A-33G (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/P-N-A / 2100 X 870 X 1165 / 940 kg
GP.0033.S/Y.A	14 425	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Yanmar - 4TNV98 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33S/Y-A / 2100 X 870 X 1165 / 835 kg
GP.0033.SH/DW.A	14 365	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Deutz - F4M 2011 (OIL) (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33SH/DW-A / 1750 X 700 X 1020 / 740 kg
GP.0033.SH/K.A	15 238	Varavoimalaite 30 / 33 kVA / Soundproof / Autom.	Kohler - KDI2504 TM-30 (M) - Meccalte - ECP28-VL/4 C	Greenpower GP33SH/K-A / 1850 X 700 X 1020 / 700 kg
GP.0044. A/B.N.A	10 913	Varavoimalaite 40 / 44 kVA / Open / Autom.	Baudouin - 4M06G44/5 (E) - Meccalte - ECP32-2S/4 C	Greenpower GP44 A/B-N-A / 1750 X 700 X 1100 / 790 kg
GP.0044. S/B.N.A	13 393	Varavoimalaite 40 / 44 kVA / Soundproof / Autom.	Baudouin - 4M06G44/5 (E) - Meccalte - ECP32-2S/4 C	Greenpower GP44 S/B-N-A / 2100 X 870 X 1165 / 1005 kg
GP.0044.A/C.A	17 460	Varavoimalaite 40 / 44 kVA / Open / Autom.	Cummins - 4BTAA3.3G16 - Meccalte - ECP32-2S/4 C	Greenpower GP44A/C-A / 1750 X 700 X 1100 / 675 kg
GP.0044.A/D.A	14 663	Varavoimalaite 40 / 44 kVA / Open / Autom.	Deutz - BF4M 2011 (OIL) (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44A/D-A / 1750 X 700 X 1100 / 695 kg
GP.0044.A/I .A	13 571	Varavoimalaite 40 / 44 kVA / Open / Autom.	Iveco - N45AM1A (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44A/I -A / 1750 X 700 X 1100 / 765 kg
GP.0044.A/K.N.A	14 643	Varavoimalaite 42 / 46 kVA / Open / Autom.	Kohler - KDI2504 TM-40 (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44A/K-N-A / 1750 X 700 X 1020 / 645 kg
GP.0044.A/P.N.A	14 762	Varavoimalaite 42 / 46 kVA / Open / Autom.	Perkins - 1103A-33TG1 (M) - Linz - PRO18M E/4	Greenpower GP44A/P-N-A / 1750 X 700 X 1100 / 735 kg
GP.0044.A/Y.A	13 512	Varavoimalaite 42 / 46,2 kVA / Open / Autom.	Yanmar - 4TNV98T (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44A/Y-A / 1750 X 700 X 1100 / 630 kg
GP.0044.S/C.A	20 060	Varavoimalaite 40 / 44 kVA / Soundproof / Autom.	Cummins - 4BTAA3.3G16 - Meccalte - ECP32-2S/4 C	Greenpower GP44S/C-A / 2100 X 870 X 1165 / 870 kg
GP.0044.S/D.A	17 163	Varavoimalaite 40 / 44 kVA / Soundproof / Autom.	Deutz - BF4M 2011 (OIL) (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44S/D-A / 2100 X 870 X 1165 / 900 kg
GP.0044.S/I .A	16 071	Varavoimalaite 40 / 44 kVA / Soundproof / Autom.	Iveco - N45AM1A (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44S/I -A / 2100 X 870 X 1165 / 960 kg
GP.0044.S/K.N.A	17 262	Varavoimalaite 42 / 46 kVA / Soundproof / Autom.	Kohler - KDI2504 TM-40 (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44S/K-N-A / 2100 X 870 X 1165 / 895 kg
GP.0044.S/P.N.A	17 163	Varavoimalaite 42 / 46 kVA / Soundproof / Autom.	Perkins - 1103A-33TG1 (M) - Linz - PRO18M E/4	Greenpower GP44S/P-N-A / 2100 X 870 X 1165 / 1005 kg
GP.0044.S/Y.A	16 052	Varavoimalaite 42 / 46,2 kVA / Soundproof / Autom.	Yanmar - 4TNV98T (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44S/Y-A / 2100 X 870 X 1165 / 850 kg
GP.0044.SH/DW.A	15 952	Varavoimalaite 40 / 44 kVA / Soundproof / Autom.	Deutz - BF4M 2011 (OIL) (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44SH/DW-A / 1850 X 700 X 1020 / 790 kg
GP.0044.SH/K.N.A	15 873	Varavoimalaite 42 / 46 kVA / Soundproof / Autom.	Kohler - KDI2504 TM-40 (M) - Meccalte - ECP32-2S/4 C	Greenpower GP44SH/K-N-A / 1850 X 700 X 1020 / 755 kg
GP.0050. A/B.N.A	11 548	Varavoimalaite 45 / 50 kVA / Open / Autom.	Baudouin - 4M06G50/5 (E) - Meccalte - ECP32-2S/4 C	Greenpower GP50 A/B-N-A / 1750 X 700 X 1100 / 820 kg
GP.0050. S/B.N.A	14 107	Varavoimalaite 45 / 50 kVA / Soundproof / Autom.	Baudouin - 4M06G50/5 (E) - Meccalte - ECP32-2S/4 C	Greenpower GP50 S/B-N-A / 2100 X 870 X 1165 / 1020 kg
GP.0050.A/P.N.A	15 040	Varavoimalaite 45 / 50 kVA / Open / Autom.	Perkins - 1103A-33TG1 (M) - Meccalte - ECP32-2S/4 C	Greenpower GP50A/P-N-A / 1750 X 700 X 1100 / 770 kg
GP.0050.S/P.N.A	17 817	Varavoimalaite 45 / 50 kVA / Soundproof / Autom.	Perkins - 1103A-33TG1 (M) - Meccalte - ECP32-2S/4 C	Greenpower GP50S/P-N-A / 2100 X 870 X 1165 / 1020 kg
GP.0055. A/B.N.A	12 579	Varavoimalaite 50 / 55 kVA / Open / Autom.	Baudouin - 4M06G55/5 (E) - Meccalte - ECP32-1M/4 C	Greenpower GP55 A/B-N-A / 1750 X 700 X 1100 / 900 kg
GP.0055. S/B.N.A	15 060	Varavoimalaite 50 / 55 kVA / Soundproof / Autom.	Baudouin - 4M06G55/5 (E) - Meccalte - ECP32-1M/4 C	Greenpower GP55 S/B-N-A / 2100 X 870 X 1165 / 1150 kg
GP.0055.A/C.A	18 294	Varavoimalaite 50 / 55 kVA / Open / Autom.	Cummins - 4BTAA3.3G13 (E) - Meccalte - ECP32-1M/4 C	Greenpower GP55A/C-A / 1750 X 700 X 1100 / 830 kg
GP.0055.A/I.N.A	14 107	Varavoimalaite 50 / 55 kVA / Open / Autom.	Iveco - N45AM2 (M) - Meccalte - ECP32-1M/4 C	Greenpower GP55A/I-N-A / 1750 X 700 X 1300 / 810 kg
GP.0055.S/C.A	20 774	Varavoimalaite 50 / 55 kVA / Soundproof / Autom.	Cummins - 4BTAA3.3G13 (E) - Meccalte - ECP32-1M/4 C	Greenpower GP55S/C-A / 2100 X 870 X 1165 / 1030 kg
GP.0055.S/I.N.A	16 607	Varavoimalaite 50 / 55 kVA / Soundproof / Autom.	Iveco - N45AM2 (M) - Meccalte - ECP32-1M/4 C	Greenpower GP55S/I-N-A / 2100 X 870 X 1165 / 1010 kg
GP.006.A/KW.A	8 016	Varavoimalaite 5 / 5,5 kVA / Open / Autom.	Kohler - KDW702 (M) - Linz - E1X13SA/4	Greenpower GP6A/KW-A / 1300 X 700 X 1000 / 300 kg
GP.006.A/KW.C.A	7 956	Varavoimalaite 5 / 5,5 kVA / Open / Autom.	Kohler - KDW 702 (M) - Linz - E1S13SA/4	Greenpower GP6A/KW-C-A / 1300 X 700 X 1000 / 300 kg
GP.006.SH/KW.A	9 623	Varavoimalaite 5 / 5,5 kVA / Soundproof / Autom.	Kohler - KDW702 (M) - Linz - E1X13SA/4	Greenpower GP6SH/KW-A / 1300 X 700 X 970 / 370 kg
GP.006.SH/KW.C.A	9 544	Varavoimalaite 5 / 5,5 kVA / Soundproof / Autom.	Kohler - KDW 702 (M) - Linz - E1S13SA/4	Greenpower GP6SH/KW-C-A / 1300 X 700 X 970 / 370 kg
GP.0066. A/B.A	14 643	Varavoimalaite 60 / 66 kVA / Open / Autom.	Baudouin - 4M11G70/5 (E) - Meccalte - ECP32-2M/4 C	Greenpower GP66 A/B-A / 2100 X 870 X 1300 / 1100 kg
GP.0066. S/B.A	17 817	Varavoimalaite 60 / 66 kVA / Soundproof / Autom.	Baudouin - 4M11G70/5 (E) - Meccalte - ECP32-2M/4 C	Greenpower GP66 S/B-A / 2260 X 1000 X 1420 / 1250 kg
GP.0066.A/C.A	18 889	Varavoimalaite 60 / 66 kVA / Open / Autom.	Cummins - 4BTAA3.3G13 (E) - Meccalte - ECP32-2M/4 C	Greenpower GP66A/C-A / 2100 X 870 X 1300 / 910 kg
GP.0066.A/D.A	17 341	Varavoimalaite 59 / 65 kVA / Open / Autom.	Deutz - BF4M 2011C (OIL) (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66A/D-A / 2100 X 870 X 1300 / 785 kg
GP.0066.A/I.A	16 131	Varavoimalaite 60 / 66 kVA / Open / Autom.	Iveco - N45SM1A (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66A/I-A / 2100 X 870 X 1300 / 865 kg
GP.0066.A/K.A	18 571	Varavoimalaite 62 / 68 kVA / Open / Autom.	Kohler - KDI3404 TM (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66A/K-A / 2100 X 870 X 1300 / 910 kg
GP.0066.A/P.N.A	17 083	Varavoimalaite 60 / 66 kVA / Open / Autom.	Perkins - 1103A-33TG2 (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66A/P-N-A / 2100 X 870 X 1300 / 840 kg
GP.0066.S/C.A	21 369	Varavoimalaite 60 / 66 kVA / Soundproof / Autom.	Cummins - 4BTAA3.3G13 (E) - Meccalte - ECP32-2M/4 C	Greenpower GP66S/C-A / 2260 X 1000 X 1420 / 1180 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0066.S/D.A	20 476	Varavoimalaite 59 / 65 kVA / Soundproof / Autom.	Deutz - BF4M 2011C (OIL) (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66S/D-A / 2260 X 1000 X 1420 / 1170 kg
GP.0066.S/I.A	19 286	Varavoimalaite 60 / 66 kVA / Soundproof / Autom.	Iveco - N45SM1A (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66S/I-A / 2260 X 1000 X 1420 / 1225 kg
GP.0066.S/K.A	21 825	Varavoimalaite 62 / 68 kVA / Soundproof / Autom.	Kohler - KDI3404 TM (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66S/K-A / 2260 X 1000 X 1420 / 1220 kg
GP.0066.S/P.N.A	19 802	Varavoimalaite 60 / 66 kVA / Soundproof / Autom.	Perkins - 1103A-33TG2 (M) - Meccalte - ECP32-2M/4 C	Greenpower GP66S/P-N-A / 2100 X 870 X 1165 / 1045 kg
GP.0084.A/D.A	20 595	Varavoimalaite 75 / 81 kVA / Open / Autom.	Deutz - BF4M 2012C (M) - Meccalte - ECP32-1L/4 C	Greenpower GP84A/D-A / 2100 X 870 X 1300 / 1030 kg
GP.0084.A/I.N.A	16 845	Varavoimalaite 75 / 83 kVA / Open / Autom.	Iveco - N45SM3 (M) - Meccalte - ECP32-1L/4 C	Greenpower GP84A/I-N-A / 2100 X 870 X 1300 / 1090 kg
GP.0084.S/D.A	23 909	Varavoimalaite 75 / 81 kVA / Soundproof / Autom.	Deutz - BF4M 2012C (M) - Meccalte - ECP32-1L/4 C	Greenpower GP84S/D-A / 2500 X 1000 X 1420 / 1390 kg
GP.0084.S/I.N.A	19 980	Varavoimalaite 75 / 83 kVA / Soundproof / Autom.	Iveco - N45SM3 (M) - Meccalte - ECP32-1L/4 C	Greenpower GP84S/I-N-A / 2260 X 1000 X 1420 / 1280 kg
GP.0088. A/B.A	15 476	Varavoimalaite 80 / 88 kVA / Open / Autom.	Baudouin - 4M11G90/5 (E) - Meccalte - ECP32-2L/4 C	Greenpower GP88 A/B-A / 2100 X 870 X 1300 / 1100 kg
GP.0088. S/B.A	18 790	Varavoimalaite 80 / 88 kVA / Soundproof / Autom.	Baudouin - 4M11G90/5 (E) - Meccalte - ECP32-2L/4 C	Greenpower GP88 S/B-A / 2500 X 1000 X 1420 / 1250 kg
GP.0088.A/C.N.A	20 972	Varavoimalaite 80 / 88 kVA / Open / Autom.	Cummins - 6BTA5.9G5 (E) - Meccalte - ECP32-2L/4 C	Greenpower GP88A/C-N-A / 2260 X 1000 X 1400 / 1300 kg
GP.0088.A/I.N.A	17 083	Varavoimalaite 80 / 88 kVA / Open / Autom.	Iveco - N45SM3 (M) - Meccalte - ECP32-2L/4 C	Greenpower GP88A/I-N-A / 2100 X 870 X 1300 / 945 kg
GP.0088.A/P.N.A	19 306	Varavoimalaite 80 / 88 kVA / Open / Autom.	Perkins - 1104A-44TG2 (M) - Meccalte - ECP32-2L/4 C	Greenpower GP88A/P-N-A / 2100 X 870 X 1300 / 940 kg
GP.0088.S/C.N.A	24 425	Varavoimalaite 80 / 88 kVA / Soundproof / Autom.	Cummins - 6BTA5.9G5 (E) - Meccalte - ECP32-2L/4 C	Greenpower GP88S/C-N-A / 2850 X 1000 X 1420 / 1650 kg
GP.0088.S/I.N.A	20 218	Varavoimalaite 80 / 88 kVA / Soundproof / Autom.	Iveco - N45SM3 (M) - Meccalte - ECP32-2L/4 C	Greenpower GP88S/I-N-A / 2260 X 1000 X 1420 / 1280 kg
GP.0088.S/P.N.A	22 440	Varavoimalaite 80 / 88 kVA / Soundproof / Autom.	Perkins - 1104A-44TG2 (M) - Meccalte - ECP32-2L/4 C	Greenpower GP88S/P-N-A / 2260 X 1000 X 1420 / 1315 kg
GP.009.A/KW.A	8 512	Varavoimalaite 8 / 8,8 kVA / Open / Autom.	Kohler - KDW 1003 (M) - Meccalte - ECP3-2S4	Greenpower GP9A/KW-A / 1300 X 700 X 1000 / 330 kg
GP.009.A/KW.C.A	8 353	Varavoimalaite 8 / 8,8 kVA / Open / Autom.	Kohler - KDW 1003 (M) - Linz - E1S13SA/4	Greenpower GP9A/KW-C-A / 1300 X 700 X 1000 / 320 kg
GP.009.SH/KW.A	10 099	Varavoimalaite 8 / 8,8 kVA / Soundproof / Autom.	Kohler - KDW 1003 (M) - Meccalte - ECP3-2S4	Greenpower GP9SH/KW-A / 1300 X 700 X 970 / 400 kg
GP.009.SH/KW.C.A	9 940	Varavoimalaite 8 / 8,8 kVA / Soundproof / Autom.	Kohler - KDW 1003 (M) - Linz - E1S13SA/4	Greenpower GP9SH/KW-C-A / 1300 X 700 X 970 / 389 kg
GP.0095.A/V.A	21 964	Varavoimalaite 85 / 93 kVA / Open / Autom.	Volvo - TAD 530 GE (M) - Meccalte - ECP34-1S/4 C	Greenpower GP95A/V-A / 2100 X 870 X 1300 / 1090 kg
GP.0095.S/V.A	25 873	Varavoimalaite 85 / 93 kVA / Soundproof / Autom.	Volvo - TAD 530 GE (M) - Meccalte - ECP34-1S/4 C	Greenpower GP95S/V-A / 2850 X 1000 X 1420 / 1570 kg
GP.0110. A/B.A	17 202	Varavoimalaite 100 / 110 kVA / Open / Autom.	Baudouin - 4M11G120/5 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110 A/B-A / 2100 X 870 X 1300 / 1300 kg
GP.0110. S/B.A	20 556	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Baudouin - 4M11G120/5 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110 S/B-A / 2500 X 1000 X 1420 / 1600 kg
GP.0110.A/C.N.A	21 766	Varavoimalaite 100 / 110 kVA / Open / Autom.	Cummins - 6BTA5.9G5 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110A/C-N-A / 2260 X 1000 X 1500 / 1350 kg
GP.0110.A/D.A	22 937	Varavoimalaite 100 / 110 kVA / Open / Autom.	Deutz - BF4M 1013EC (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110A/D-A / 2100 X 870 X 1300 / 1200 kg
GP.0110.A/I.A	19 425	Varavoimalaite 100 / 110 kVA / Open / Autom.	Iveco - N45TM2A (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110A/I-A / 2100 X 870 X 1300 / 1060 kg
GP.0110.A/P.A	22 202	Varavoimalaite 100 / 110 kVA / Open / Autom.	Perkins - 1104C-44TAG2 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110A/P-A / 2100 X 870 X 1400 / 1115 kg
GP.0110.A/V.A	23 056	Varavoimalaite 100 / 110 kVA / Open / Autom.	Volvo - TAD 531 GE (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110A/V-A / 2100 X 870 X 1300 / 1170 kg
GP.0110.S/C.N.A	25 575	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Cummins - 6BTA5.9G5 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110S/C-N-A / 2850 X 1000 X 1420 / 1700 kg
GP.0110.S/D.A	26 746	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Deutz - BF4M 1013EC (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110S/D-A / 2850 X 1000 X 1420 / 1590 kg
GP.0110.S/I.A	23 115	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Iveco - N45TM2A (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110S/I-A / 2850 X 1000 X 1420 / 1525 kg
GP.0110.S/P.A	25 357	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Perkins - 1104C-44TAG2 (E) - Meccalte - ECP34-2S/4 C	Greenpower GP110S/P-A / 2260 X 1000 X 1420 / 1480 kg
GP.0110.S/V.A	26 964	Varavoimalaite 100 / 110 kVA / Soundproof / Autom.	Volvo - TAD 531 GE (M) - Meccalte - ECP34-2S/4 C	Greenpower GP110S/V-A / 2850 X 1000 X 1420 / 1650 kg
GP.0135.A/I.N.A	20 873	Varavoimalaite 120 / 132 kVA / Open / Autom.	Iveco - N45TM3 (M) - Meccalte - ECP34-1M/4 C	Greenpower GP135A/I-N-A / 2100 X 870 X 1300 / 1135 kg
GP.0135.S/I.N.A	24 762	Varavoimalaite 120 / 132 kVA / Soundproof / Autom.	Iveco - N45TM3 (M) - Meccalte - ECP34-1M/4 C	Greenpower GP135S/I-N-A / 2850 X 1000 X 1420 / 1580 kg
GP.0140.A/I.N.A	23 710	Varavoimalaite 125 / 138 kVA / Open / Autom.	Iveco - N67SM1 (M) - Meccalte - ECP34-1M/4 C	Greenpower GP140A/I-N-A / 2500 X 1000 X 1400 / 1380 kg
GP.0140.S/I.N.A	28 056	Varavoimalaite 125 / 138 kVA / Soundproof / Autom.	Iveco - N67SM1 (M) - Meccalte - ECP34-1M/4 C	Greenpower GP140S/I-N-A / 3000 X 1100 X 1520 / 1720 kg
GP.0145. A/B.A	21 448	Varavoimalaite 135 / 148 kVA / Open / Autom.	Baudouin - 6M11G150/5 (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145 A/B-A / 2500 X 1000 X 1400 / 1400 kg
GP.0145. S/B.A	25 933	Varavoimalaite 135 / 148 kVA / Soundproof / Autom.	Baudouin - 6M11G150/5 (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145 S/B-A / 3000 X 1100 X 1520 / 1850 kg
GP.0145.A/C.N.A	26 071	Varavoimalaite 132 / 145 kVA / Open / Autom.	Cummins - 6BTA5.9G6 (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145A/C-N-A / 2260 X 1000 X 1550 / 1400 kg
GP.0145.A/D.A	26 448	Varavoimalaite 130 / 143 kVA / Open / Autom.	Deutz - BF4M 1013FC (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145A/D-A / 2500 X 1000 X 1400 / 1280 kg
GP.0145.A/P.N.A	29 425	Varavoimalaite 135 / 148 kVA / Open / Autom.	Perkins - 1106A-70TG1 (M) - Meccalte - ECP34-2M/4 C	Greenpower GP145A/P-N-A / 2500 X 1000 X 1400 / 1390 kg
GP.0145.A/V.A	26 925	Varavoimalaite 130 / 143 kVA / Open / Autom.	Volvo - TAD 532 GE (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145A/V-A / 2500 X 1000 X 1400 / 1310 kg
GP.0145.S/C.N.A	30 575	Varavoimalaite 132 / 145 kVA / Soundproof / Autom.	Cummins - 6BTA5.9G6 (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145S/C-N-A / 3300 X 1100 X 1770 / 2000 kg
GP.0145.S/D.A	30 754	Varavoimalaite 130 / 143 kVA / Soundproof / Autom.	Deutz - BF4M 1013FC (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145S/D-A / 3000 X 1100 X 1520 / 1810 kg
GP.0145.S/P.N.A	33 710	Varavoimalaite 135 / 148 kVA / Soundproof / Autom.	Perkins - 1106A-70TG1 (M) - Meccalte - ECP34-2M/4 C	Greenpower GP145S/P-N-A / 3000 X 1100 X 1520 / 1890 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0145.S/V.A	31 171	Varavoimalaite 130 / 143 kVA / Soundproof / Autom.	Volvo - TAD 532 GE (E) - Meccalte - ECP34-2M/4 C	Greenpower GP145S/V-A / 3000 X 1100 X 1520 / 1860 kg
GP.0165. A/B.A	23 135	Varavoimalaite 150 / 165 kVA / Open / Autom.	Baudouin - 6M11G165/5 (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165 A/B-A / 2500 X 1000 X 1400 / 1480 kg
GP.0165. S/B.A	27 440	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Baudouin - 6M11G165/5 (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165 S/B-A / 3000 X 1100 X 1520 / 2050 kg
GP.0165.A/C.A	28 075	Varavoimalaite 150 / 165 kVA / Open / Autom.	Cummins - 6BTA5.9G7 (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165A/C-A / 2500 X 1000 X 1550 / 1450 kg
GP.0165.A/D.A	28 829	Varavoimalaite 150 / 165 kVA / Open / Autom.	Deutz - BF6M 1013EC (M) - Linz - ECP34-1L/4 C	Greenpower GP165A/D-A / 2500 X 1000 X 1400 / 1540 kg
GP.0165.A/DO.N.A	25 337	Varavoimalaite 150 / 165 kVA / Open / Autom.	Doosan - DP086TA (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165A/DO-N-A / 2500 X 1000 X 1400 / 1520 kg
GP.0165.A/I.N.A	24 504	Varavoimalaite 150 / 165 kVA / Open / Autom.	Iveco - N67TM4 (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165A/I-N-A / 2500 X 1000 X 1400 / 1350 kg
GP.0165.A/P.N.A	31 905	Varavoimalaite 150 / 165 kVA / Open / Autom.	Perkins - 1106A-70TAG2 (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165A/P-N-A / 2500 X 1000 X 1400 / 1480 kg
GP.0165.A/V.A	30 437	Varavoimalaite 150 / 165 kVA / Open / Autom.	Volvo - TAD 731 GE (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165A/V-A / 2500 X 1000 X 1400 / 1545 kg
GP.0165.S/C.A	33 036	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Cummins - 6BTA5.9G7 (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165S/C-A / 3300 X 1100 X 1770 / 2000 kg
GP.0165.S/D.A	33 710	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Deutz - BF6M 1013EC (M) - Linz - ECP34-1L/4 C	Greenpower GP165S/D-A / 3300 X 1100 X 1770 / 2090 kg
GP.0165.S/DO.N.A	30 179	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Doosan - DP086TA (E) - Meccalte - ECP34-1L/4 C	Greenpower GP165S/DO-N-A / 3300 X 1100 X 1770 / 2060 kg
GP.0165.S/I.N.A	29 325	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Iveco - N67TM4 (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165S/I-N-A / 3300 X 1100 X 1770 / 1855 kg
GP.0165.S/P.N.A	36 310	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Perkins - 1106A-70TAG2 (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165S/P-N-A / 3300 X 1100 X 1770 / 2050 kg
GP.0165.S/V.A	35 238	Varavoimalaite 150 / 165 kVA / Soundproof / Autom.	Volvo - TAD 731 GE (M) - Meccalte - ECP34-1L/4 C	Greenpower GP165S/V-A / 3300 X 1100 X 1770 / 2120 kg
GP.0176.A/D.A	28 988	Varavoimalaite 160 / 172 kVA / Open / Autom.	Deutz - BF6M 1013EC (M) - Meccalte - ECP34-2L/4 C	Greenpower GP176A/D-A / 2500 X 1000 X 1400 / 1580 kg
GP.0176.A/I.N.A	24 702	Varavoimalaite 160 / 176 kVA / Open / Autom.	Iveco - N67TM4 (M) - Meccalte - ECP34-3L/4 C	Greenpower GP176A/I-N-A / 2500 X 1000 X 1400 / 1450 kg
GP.0176.S/D.A	33 869	Varavoimalaite 160 / 172 kVA / Soundproof / Autom.	Deutz - BF6M 1013EC (M) - Meccalte - ECP34-2L/4 C	Greenpower GP176S/D-A / 3300 X 1100 X 1770 / 2130 kg
GP.0176.S/I.N.A	29 603	Varavoimalaite 160 / 176 kVA / Soundproof / Autom.	Iveco - N67TM4 (M) - Meccalte - ECP34-3L/4 C	Greenpower GP176S/I-N-A / 3300 X 1100 X 1770 / 1870 kg
GP.0190.A/I.N.A	25 972	Varavoimalaite 170 / 187 kVA / Open / Autom.	Iveco - N67TM4 (M) - Meccalte - ECO38-1S/4 C	Greenpower GP190A/I-N-A / 2500 X 1000 X 1400 / 1450 kg
GP.0190.S/I.N.A	31 409	Varavoimalaite 170 / 187 kVA / Soundproof / Autom.	Iveco - N67TM4 (M) - Meccalte - ECO38-1S/4 C	Greenpower GP190S/I-N-A / 3300 X 1100 X 1770 / 2090 kg
GP.0198.A/D.A	35 298	Varavoimalaite 180 / 198 kVA / Open / Autom.	Deutz - BF6M1013FCG2 (E) - Meccalte - ECO38-1S/4 C	Greenpower GP198A/D-A / 2850 X 1000 X 1650 / 1580 kg
GP.0198.A/P.N.A	36 131	Varavoimalaite 180 / 198 kVA / Open / Autom.	Perkins - 1106A-70TAG3 (M) - Meccalte - ECO38-1S/4 C	Greenpower GP198A/P-N-A / 2850 X 1000 X 1400 / 1540 kg
GP.0198.A/V.A	37 222	Varavoimalaite 180 / 198 kVA / Open / Autom.	Volvo - TAD 732 GE (E) - Meccalte - ECO38-1S/4 C	Greenpower GP198A/V-A / 2850 X 1000 X 1400 / 1785 kg
GP.0198.S/D.A	40 179	Varavoimalaite 180 / 198 kVA / Soundproof / Autom.	Deutz - BF6M1013FCG2 (E) - Meccalte - ECO38-1S/4 C	Greenpower GP198S/D-A / 3300 X 1100 X 1770 / 2130 kg
GP.0198.S/P.N.A	40 972	Varavoimalaite 180 / 198 kVA / Soundproof / Autom.	Perkins - 1106A-70TAG3 (M) - Meccalte - ECO38-1S/4 C	Greenpower GP198S/P-N-A / 3300 X 1100 X 1770 / 2160 kg
GP.0198.S/V.A	41 984	Varavoimalaite 180 / 198 kVA / Soundproof / Autom.	Volvo - TAD 732 GE (E) - Meccalte - ECO38-1S/4 C	Greenpower GP198S/V-A / 3300 X 1100 X 1770 / 2335 kg
GP.0220. A/B.A	31 111	Varavoimalaite 200 / 220 kVA / Open / Autom.	Baudouin - 6M16G220/5 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220 A/B-A / 3000 X 1100 X 1650 / 2000 kg
GP.0220. S/B.A	37 083	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Baudouin - 6M16G220/5 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220 S/B-A / 3800 X 1200 X 2000 / 2510 kg
GP.0220.A/C.A	44 087	Varavoimalaite 200 / 220 kVA / Open / Autom.	Cummins - QSB7G5 - Meccalte - ECO38-2S/4 C	Greenpower GP220A/C-A / 2850 X 1000 X 1600 / 1650 kg
GP.0220.A/D.A	37 302	Varavoimalaite 200 / 220 kVA / Open / Autom.	Deutz - BF6M 1013FCG3 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220A/D-A / 2850 X 1000 X 1650 / 1700 kg
GP.0220.A/DO.A	31 825	Varavoimalaite 200 / 220 kVA / Open / Autom.	Doosan - P086TI (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220A/DO-A / 2850 X 1000 X 1400 / 1650 kg
GP.0220.A/I.N.A	31 012	Varavoimalaite 200 / 220 kVA / Open / Autom.	Iveco - N67TM7 (M) - Meccalte - ECO38-2S/4 C	Greenpower GP220A/I-N-A / 2850 X 1000 X 1500 / 1500 kg
GP.0220.A/P.N.A	38 869	Varavoimalaite 200 / 220 kVA / Open / Autom.	Perkins - 1106A-70TAG4 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220A/P-N-A / 2850 X 1000 X 1650 / 1590 kg
GP.0220.A/V.A	39 028	Varavoimalaite 200 / 220 kVA / Open / Autom.	Volvo - TAD 733 GE (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220A/V-A / 2850 X 1000 X 1400 / 1825 kg
GP.0220.S/C.A	48 968	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Cummins - QSB7G5 - Meccalte - ECO38-2S/4 C	Greenpower GP220S/C-A / 3300 X 1100 X 1770 / 2140 kg
GP.0220.S/D.A	42 202	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Deutz - BF6M 1013FCG3 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220S/D-A / 3300 X 1100 X 1770 / 2250 kg
GP.0220.S/DO.A	36 746	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Doosan - P086TI (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220S/DO-A / 3300 X 1100 X 1770 / 2350 kg
GP.0220.S/I.N.A	35 794	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Iveco - N67TM7 (M) - Meccalte - ECO38-2S/4 C	Greenpower GP220S/I-N-A / 3300 X 1100 X 1770 / 2100 kg
GP.0220.S/P.N.A	43 750	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Perkins - 1106A-70TAG4 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220S/P-N-A / 3300 X 1100 X 1770 / 2140 kg
GP.0220.S/V.A	43 988	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Volvo - TAD 733 GE (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220S/V-A / 3300 X 1100 X 1770 / 2230 kg
GP.0220.SM/I.N.A	38 968	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Iveco - N67TM7 (M) - Meccalte - ECO38-2S/4 C	Greenpower GP220SM/I-N-A / 3800 X 1200 X 2000 / 2250 kg
GP.0220.SM/P.N.A	46 667	Varavoimalaite 200 / 220 kVA / Soundproof / Autom.	Perkins - 1106A-70TAG4 (E) - Meccalte - ECO38-2S/4 C	Greenpower GP220SM/P-N-A / 3800 X 1200 X 2000 / 2300 kg
GP.0250. A/B.A	34 385	Varavoimalaite 225 / 250 kVA / Open / Autom.	Baudouin - 6M16G250/5 (E) - Meccalte - ECO38-3S/4 C	Greenpower GP250 A/B-A / 3000 X 1100 X 1650 / 2200 kg
GP.0250. S/B.A	40 020	Varavoimalaite 225 / 250 kVA / Soundproof / Autom.	Baudouin - 6M16G250/5 (E) - Meccalte - ECO38-3S/4 C	Greenpower GP250 S/B-A / 3800 X 1200 X 2000 / 2600 kg
GP.0250.A/DO.N.A	35 853	Varavoimalaite 225 / 248 kVA / Open / Autom.	Doosan - DP086LA (E) - Meccalte - ECO38-3S/4 C	Greenpower GP250A/DO-N-A / 2850 X 1000 X 1650 / 1700 kg
GP.0250.A/P.N.A	48 770	Varavoimalaite 225 / 250 kVA / Open / Autom.	Perkins - 1206A-70TAG2 (E) - Meccalte - ECO38-3S/4 C	Greenpower GP250A/P-N-A / 3000 X 1100 X 1500 / 2090 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0250.S/DO.N.A	40 298	Varavoimalaite 225 / 248 kVA / Soundproof / Autom.	Doosan - DP086LA (E) - Meccalte - ECO38-1M/4 C	Greenpower GP250S/DO-N-A / 3300 X 1100 X 1770 / 2400 kg
GP.0250.S/P.N.A	52 778	Varavoimalaite 225 / 250 kVA / Soundproof / Autom.	Perkins - 1206A-E70TTAG2 (E) - Meccalte - ECO38-3S/4 C	Greenpower GP250S/P-N-A / 3300 X 1100 X 1770 / 2450 kg
GP.0280. A/B.A	36 151	Varavoimalaite 250 / 275 kVA / Open / Autom.	Baudouin - 6M16G275/5 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280 A/B-A / 3000 X 1100 X 1650 / 2300 kg
GP.0280. S/B.A	41 786	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Baudouin - 6M16G275/5 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280 S/B-A / 3800 X 1200 X 2000 / 2700 kg
GP.0280.A/D.A	45 734	Varavoimalaite 250 / 275 kVA / Open / Autom.	Deutz - TCD2013L06-4V (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280A/D-A / 3000 X 1100 X 1650 / 2050 kg
GP.0280.A/I.N .A	41 885	Varavoimalaite 250 / 275 kVA / Open / Autom.	Iveco - N67TE8P (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280A/I-N -A / 2850 X 1000 X 1500 / 2000 kg
GP.0280.A/P.N.A	50 437	Varavoimalaite 250 / 275 kVA / Open / Autom.	Perkins - 1206A-E70TTAG3 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280A/P-N-A / 3000 X 1100 X 1500 / 2160 kg
GP.0280.A/S.N.A	49 306	Varavoimalaite 250 / 275 kVA / Open / Autom.	Scania - DC09 072A 0211 - Meccalte - ECO38-1L/4 C	Greenpower GP280A/S-N-A / 3000 X 1100 X 1750 / 1950 kg
GP.0280.A/V.A	46 190	Varavoimalaite 250 / 275 kVA / Open / Autom.	Volvo - TAD 734 GE (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280A/V-A / 3000 X 1100 X 1650 / 2000 kg
GP.0280.A/V.A	41 171	Varavoimalaite 250 / 275 kVA / Open / Autom.	Volvo - TAD 841 GE (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280A/V-A / 3000 X 1100 X 1650 / 1820 kg
GP.0280.S/D.A	51 429	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Deutz - TCD2013L06-4V (E) - Meccalte - ECO38-2M/4 C	Greenpower GP280S/D-A / 3800 X 1200 X 2000 / 2900 kg
GP.0280.S/I.N .A	46 349	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Iveco - N67TE8P (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280S/I-N -A / 3300 X 1100 X 1770 / 2400 kg
GP.0280.S/P.N.A	54 802	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Perkins - 1206A-E70TTAG3 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280S/P-N-A / 3300 X 1100 X 1770 / 2510 kg
GP.0280.S/S.N.A	54 603	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Scania - DC09 072A 0211 - Meccalte - ECO38-1L/4 C	Greenpower GP280S/S-N-A / 3800 X 1200 X 2000 / 3050 kg
GP.0280.S/V.A	51 905	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Volvo - TAD 734 GE (E) - Meccalte - ECO38-2M/4 C	Greenpower GP280S/V-A / 3800 X 1200 X 2000 / 2890 kg
GP.0280.S/V.A	47 698	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Volvo - TAD 841 GE (E) - Meccalte - ECO38-2M/4 C	Greenpower GP280S/V-A / 3800 X 1200 X 2000 / 2710 kg
GP.0280.SM/I.N .A	47 659	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Iveco - N67TE8P (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280SM/I-N -A / 3800 X 1200 X 2000 / 2550 kg
GP.0280.SM/P.N.A	56 290	Varavoimalaite 250 / 275 kVA / Soundproof / Autom.	Perkins - 1206A-E70TTAG3 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP280SM/P-N-A / 3800 X 1200 X 2000 / 2670 kg
GP.0305. A/B.A	39 742	Varavoimalaite 275 / 300 kVA / Open / Autom.	Baudouin - 6M16G300/5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP305 A/B-A / 3300 X 1100 X 1800 / 2630 kg
GP.0305. S/B.A	45 119	Varavoimalaite 275 / 300 kVA / Soundproof / Autom.	Baudouin - 6M16G300/5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP305 S/B-A / 3800 X 1200 X 2000 / 3630 kg
GP.0330. A/B.A	41 468	Varavoimalaite 300 / 330 kVA / Open / Autom.	Baudouin - 6M16G350/5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330 A/B-A / 3300 X 1100 X 1800 / 2630 kg
GP.0330. S/B.A	46 845	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Baudouin - 6M16G350/5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330 S/B-A / 3800 X 1200 X 2000 / 3630 kg
GP.0330.A/C.N.A	49 206	Varavoimalaite 300 / 330 kVA / Open / Autom.	Cummins - 6LTA09.5G1 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/C-N-A / 3000 X 1100 X 1900 / 2250 kg
GP.0330.A/D.A	63 651	Varavoimalaite 300 / 330 kVA / Open / Autom.	Deutz - BF6M 1015C-G1 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/D-A / 3300 X 1100 X 2200 / 2180 kg
GP.0330.A/DO.N.A	44 306	Varavoimalaite 300 / 330 kVA / Open / Autom.	Doosan - P126T1 II (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/DO-N-A / 3000 X 1100 X 1650 / 1750 kg
GP.0330.A/I.N .A	47 996	Varavoimalaite 300 / 330 kVA / Open / Autom.	Iveco - CURSOR 87TE4 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/I-N -A / 3000 X 1100 X 2100 / 2550 kg
GP.0330.A/P.N.A	65 794	Varavoimalaite 300 / 330 kVA / Open / Autom.	Perkins - 1506A-E88TAG5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/P-N-A / 3300 X 1100 X 1700 / 2630 kg
GP.0330.A/S.N.A	52 004	Varavoimalaite 300 / 330 kVA / Open / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO38-2L/4 C	Greenpower GP330A/S-N-A / 3000 X 1100 X 1750 / 2050 kg
GP.0330.A/V.A	55 516	Varavoimalaite 300 / 330 kVA / Open / Autom.	Volvo - TAD 1341 GE-B (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/V-A / 3300 X 1100 X 1900 / 2680 kg
GP.0330.A/V.A	46 845	Varavoimalaite 300 / 330 kVA / Open / Autom.	Volvo - TAD 842GE (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330A/V-A / 3300 X 1100 X 1900 / 2080 kg
GP.0330.S/C.N.A	54 921	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Cummins - 6LTA09.5G1 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330S/C-N-A / 3800 X 1200 X 2000 / 3600 kg
GP.0330.S/D.A	71 409	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Deutz - BF6M 1015C-G1 (E) - Meccalte - ECO38-1L/4 C	Greenpower GP330S/D-A / 3950 X 1300 X 2150 / 3740 kg
GP.0330.S/DO.N.A	49 881	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Doosan - P126T1 II (E) - Meccalte - ECO38-1L/4 C	Greenpower GP330S/DO-N-A / 3800 X 1200 X 2000 / 3140 kg
GP.0330.S/I.N .A	53 849	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Iveco - CURSOR 87TE4 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330S/I-N -A / 3800 X 1200 X 2000 / 3150 kg
GP.0330.S/P.N.A	71 329	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Perkins - 1506A-E88TAG5 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP330S/P-N-A / 3800 X 1200 X 2000 / 3100 kg
GP.0330.S/S.N.A	59 722	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO38-2L/4 C	Greenpower GP330S/S-N-A / 3950 X 1300 X 2150 / 3225 kg
GP.0330.S/V.A	63 056	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Volvo - TAD 1341 GE-B (E) - Meccalte - ECO38-1L/4 C	Greenpower GP330S/V-A / 3950 X 1300 X 2150 / 3610 kg
GP.0330.S/V.A	54 266	Varavoimalaite 300 / 330 kVA / Soundproof / Autom.	Volvo - TAD 842GE (E) - Meccalte - ECO38-1L/4 C	Greenpower GP330S/V-A / 3950 X 1300 X 2150 / 3010 kg
GP.0350.A/V.A	56 726	Varavoimalaite 315 / 347 kVA / Open / Autom.	Volvo - TAD 1341 GE-B (E) - Meccalte - ECO38-3L/4 C	Greenpower GP350A/V-A / 3300 X 1100 X 1900 / 2820 kg
GP.0350.A/V.A	51 925	Varavoimalaite 325 / 358 kVA / Open / Autom.	Volvo - TAD 843GE (E) - Meccalte - ECO38-3L/4 C	Greenpower GP350A/V-A / 3300 X 1100 X 1900 / 2220 kg
GP.0350.S/V.A	64 187	Varavoimalaite 315 / 347 kVA / Soundproof / Autom.	Volvo - TAD 1341 GE-B (E) - Meccalte - ECO38-2L/4 C	Greenpower GP350S/V-A / 3950 X 1300 X 2150 / 3700 kg
GP.0350.S/V.A	59 385	Varavoimalaite 325 / 358 kVA / Soundproof / Autom.	Volvo - TAD 843GE (E) - Meccalte - ECO38-2L/4 C	Greenpower GP350S/V-A / 3950 X 1300 X 2150 / 3100 kg
GP.0360.A/DO.N.A	46 210	Varavoimalaite 320 / 355 kVA / Open / Autom.	Doosan - DP126LA (E) - Meccalte - ECO38-3L/4 C	Greenpower GP360A/DO-N-A / 3200 X 1300 X 1700 / 2560 kg
GP.0360.S/DO.N.A	54 187	Varavoimalaite 320 / 355 kVA / Soundproof / Autom.	Doosan - DP126LA (E) - Meccalte - ECO38-2L/4 C	Greenpower GP360S/DO-N-A / 3950 X 1300 X 2150 / 3560 kg
GP.0385. A/B.A	48 889	Varavoimalaite 350 / 385 kVA / Open / Autom.	Baudouin - 6M21G400/5 (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385 A/B-A / 3300 X 1100 X 1800 / 3400 kg
GP.0385. S/B.A	56 448	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Baudouin - 6M21G400/5 (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385 S/B-A / 3950 X 1300 X 2150 / 3840 kg
GP.0385.A/D.A	65 278	Varavoimalaite 350 / 385 kVA / Open / Autom.	Deutz - BF6M 1015C-G2 (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385A/D-A / 3300 X 1100 X 2200 / 2350 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0385.A/DO.N.A	52 857	Varavoimalaite 350 / 385 kVA / Open / Autom.	Doosan - DP126LB (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385A/DO-N-A / 3200 X 1300 X 1700 / 2560 kg
GP.0385.A/I .A	54 286	Varavoimalaite 350 / 385 kVA / Open / Autom.	Iveco - CURSOR 13TE2A (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385A/I -A / 3300 X 1100 X 2100 / 2970 kg
GP.0385.A/P.N.A	70 615	Varavoimalaite 350 / 385 kVA / Open / Autom.	Perkins - 2206A-E13TAG2 (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385A/P-N-A / 3300 X 1100 X 2100 / 2900 kg
GP.0385.A/S.N.A	53 353	Varavoimalaite 350 / 385 kVA / Open / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO38-3L/4 C	Greenpower GP385A/S-N-A / 3300 X 1100 X 1750 / 2840 kg
GP.0385.A/V.A	59 286	Varavoimalaite 350 / 385 kVA / Open / Autom.	Volvo - TAD 1342 GE-B (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385A/V-A / 3300 X 1100 X 1900 / 2820 kg
GP.0385.S/D.A	74 504	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Deutz - BF6M 1015C-G2 (E) - Meccalte - ECO38-2L/4 C	Greenpower GP385S/D-A / 3950 X 1300 X 2150 / 3680 kg
GP.0385.S/DO.N.A	61 052	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Doosan - DP126LB (E) - Meccalte - ECO38-2L/4 C	Greenpower GP385S/DO-N-A / 3950 X 1300 X 2150 / 3560 kg
GP.0385.S/I .A	61 865	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Iveco - CURSOR 13TE2A (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385S/I -A / 3950 X 1300 X 2150 / 3660 kg
GP.0385.S/P.N.A	78 333	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Perkins - 2206A-E13TAG2 (E) - Meccalte - ECO38-3L/4 C	Greenpower GP385S/P-N-A / 3950 X 1300 X 2150 / 3840 kg
GP.0385.S/S.N.A	61 052	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO38-3L/4 C	Greenpower GP385S/S-N-A / 3950 X 1300 X 2150 / 3470 kg
GP.0385.S/V.A	66 746	Varavoimalaite 350 / 385 kVA / Soundproof / Autom.	Volvo - TAD 1342 GE-B (E) - Meccalte - ECO38-2L/4 C	Greenpower GP385S/V-A / 3950 X 1300 X 2150 / 3700 kg
GP.0410.A/DO.N.A	54 881	Varavoimalaite 365 / 402 kVA / Open / Autom.	Doosan - DP126LB (E) - Meccalte - ECO40-1S/4 C	Greenpower GP410A/DO-N-A / 3200 X 1300 X 1700 / 2700 kg
GP.0410.A/S.N.A	55 337	Varavoimalaite 373 / 410 kVA / Open / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO40-1S/4 C	Greenpower GP410A/S-N-A / 3300 X 1100 X 1750 / 2980 kg
GP.0410.A/V.A	62 996	Varavoimalaite 375 / 415 kVA / Open / Autom.	Volvo - TAD 1343 GE-B (E) - Meccalte - ECO40-1S/4 C	Greenpower GP410A/V-A / 3300 X 1100 X 1900 / 3050 kg
GP.0410.S/DO.N.A	62 917	Varavoimalaite 365 / 402 kVA / Soundproof / Autom.	Doosan - DP126LB (E) - Meccalte - ECO40-1S/4 C	Greenpower GP410S/DO-N-A / 3950 X 1300 X 2150 / 3700 kg
GP.0410.S/S.N.A	63 095	Varavoimalaite 373 / 410 kVA / Soundproof / Autom.	Scania - DC13 072A 0211 - Meccalte - ECO40-1S/4 C	Greenpower GP410S/S-N-A / 3950 X 1300 X 2150 / 3600 kg
GP.0410.S/V.A	70 377	Varavoimalaite 375 / 415 kVA / Soundproof / Autom.	Volvo - TAD 1343 GE-B (E) - Meccalte - ECO40-1S/4 C	Greenpower GP410S/V-A / 3950 X 1300 X 2150 / 3965 kg
GP.0440. A/B.A	52 044	Varavoimalaite 400 / 440 kVA / Open / Autom.	Baudouin - 6M21G440/5 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440 A/B-A / 3300 X 1100 X 1800 / 3400 kg
GP.0440. S/B.A	59 683	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Baudouin - 6M21G440/5 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440 S/B-A / 3950 X 1300 X 2150 / 4670 kg
GP.0440.A/C .A	62 738	Varavoimalaite 400 / 440 kVA / Open / Autom.	Cummins - QSG12G2 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440A/C -A / 3200 X 1400 X 1900 / 3650 kg
GP.0440.A/DO.N.A	57 817	Varavoimalaite 400 / 440 kVA / Open / Autom.	Doosan - P158LE (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440A/DO-N-A / 3200 X 1300 X 1900 / 2340 kg
GP.0440.A/I.A	57 837	Varavoimalaite 400 / 440 kVA / Open / Autom.	Iveco - CURSOR 13TE3A (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440A/I-A / 3400 X 1400 X 2200 / 2900 kg
GP.0440.A/P.N.A	74 940	Varavoimalaite 400 / 440 kVA / Open / Autom.	Perkins - 2206A-E13TAG3 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440A/P-N-A / 3300 X 1100 X 2100 / 3400 kg
GP.0440.A/S.N.A	57 341	Varavoimalaite 400 / 440 kVA / Open / Autom.	Scania - DC13 072A 0212 - Meccalte - ECO40-1S/4 C	Greenpower GP440A/S-N-A / 3300 X 1100 X 1750 / 2980 kg
GP.0440.A/V.A	67 520	Varavoimalaite 400 / 440 kVA / Open / Autom.	Volvo - TAD 1344 GE-B (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440A/V-A / 3300 X 1100 X 1900 / 3050 kg
GP.0440.S/C.A	72 004	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Cummins - QSG12G2 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440S/C-A / 4300 X 1600 X 2250 / 5250 kg
GP.0440.S/DO.N.A	68 095	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Doosan - P158LE (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440S/DO-N-A / 4300 X 1600 X 2250 / 3890 kg
GP.0440.S/I.A	64 802	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Iveco - CURSOR 13TE3A (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440S/I-A / 3950 X 1300 X 2150 / 3700 kg
GP.0440.S/P.N.A	82 560	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Perkins - 2206A-E13TAG3 (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440S/P-N-A / 3950 X 1300 X 2150 / 3900 kg
GP.0440.S/S.N.A	64 841	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Scania - DC13 072A 0212 - Meccalte - ECO40-1S/4 C	Greenpower GP440S/S-N-A / 3950 X 1300 X 2150 / 3600 kg
GP.0440.S/V.A	75 040	Varavoimalaite 400 / 440 kVA / Soundproof / Autom.	Volvo - TAD 1344 GE-B (E) - Meccalte - ECO40-1S/4 C	Greenpower GP440S/V-A / 3950 X 1300 X 2150 / 3850 kg
GP.0505. A/B.A	62 520	Varavoimalaite 450 / 500 kVA / Open / Autom.	Baudouin - 6M21G500/5 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505 A/B-A / 3300 X 1100 X 1800 / 3430 kg
GP.0505. S/B.A	72 560	Varavoimalaite 450 / 500 kVA / Soundproof / Autom.	Baudouin - 6M21G500/5 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505 S/B-A / 4500 X 1450 X 2250 / 5300 kg
GP.0505.A/D.A	80 278	Varavoimalaite 450 / 480 kVA / Open / Autom.	Deutz - BF8M 1015C-G1 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505A/D-A / 3200 X 1300 X 2200 / 2800 kg
GP.0505.A/DO.N.A	62 103	Varavoimalaite 450 / 500 kVA / Open / Autom.	Doosan - DP158LC (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505A/DO-N-A / 3200 X 1300 X 1900 / 2650 kg
GP.0505.A/I.N.A	68 254	Varavoimalaite 450 / 495 kVA / Open / Autom.	Iveco - CURSOR 13TE6W (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505A/I-N-A / 3400 X 1400 X 2200 / 3130 kg
GP.0505.A/M.A	83 829	Varavoimalaite 450 / 500 kVA / Open / Autom.	MTU - 10V 1600 G10F - Meccalte - ECO40-2S/4 C	Greenpower GP505A/M-A / 3200 X 1300 X 1900 / 3250 kg
GP.0505.A/P.A	86 508	Varavoimalaite 450 / 495 kVA / Open / Autom.	Perkins - 2506A-E15TAG1 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505A/P-A / 3300 X 1100 X 2200 / 3430 kg
GP.0505.A/S.N.A	62 817	Varavoimalaite 450 / 500 kVA / Open / Autom.	Scania - DC13 072A 0213 - Meccalte - ECO40-2S/4 C	Greenpower GP505A/S-N-A / 3300 X 1100 X 1750 / 3060 kg
GP.0505.A/V.A	75 536	Varavoimalaite 450 / 500 kVA / Open / Autom.	Volvo - TAD 1345 GE-B(E) - Meccalte - ECO40-2S/4 C	Greenpower GP505A/V-A / 3200 X 1300 X 1900 / 3300 kg
GP.0505.S/D.A	90 615	Varavoimalaite 450 / 480 kVA / Soundproof / Autom.	Deutz - BF8M 1015C-G1 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505S/D-A / 4300 X 1600 X 2250 / 4380 kg
GP.0505.S/DO.N.A	72 381	Varavoimalaite 450 / 500 kVA / Soundproof / Autom.	Doosan - DP158LC (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505S/DO-N-A / 4300 X 1600 X 2250 / 4180 kg
GP.0505.S/I.N.A	77 996	Varavoimalaite 450 / 495 kVA / Soundproof / Autom.	Iveco - CURSOR 13TE6W (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505S/I-N-A / 4500 X 1450 X 2250 / 4340 kg
GP.0505.S/M.A	94 008	Varavoimalaite 450 / 500 kVA / Soundproof / Autom.	MTU - 10V 1600 G10F - Meccalte - ECO40-2S/4 C	Greenpower GP505S/M-A / 4500 X 1450 X 2250 / 4950 kg
GP.0505.S/P.A	96 369	Varavoimalaite 450 / 495 kVA / Soundproof / Autom.	Perkins - 2506A-E15TAG1 (E) - Meccalte - ECO40-2S/4 C	Greenpower GP505S/P-A / 4500 X 1450 X 2250 / 4600 kg
GP.0505.S/S.N.A	69 980	Varavoimalaite 450 / 500 kVA / Soundproof / Autom.	Scania - DC13 072A 0213 - Meccalte - ECO40-2S/4 C	Greenpower GP505S/S-N-A / 3950 X 1300 X 2150 / 3680 kg
GP.0505.S/V.A	82 976	Varavoimalaite 450 / 500 kVA / Soundproof / Autom.	Volvo - TAD 1345 GE-B(E) - Meccalte - ECO40-2S/4 C	Greenpower GP505S/V-A / 3950 X 1300 X 2150 / 4265 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0560. A/B.A	66 567	Varavoimalaite 500 / 550 kVA / Open / Autom.	Baudouin - 6M21G550/5 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560 A/B-A / 3200 X 1300 X 2000 / 3490 kg
GP.0560. S/B.A	76 349	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Baudouin - 6M21G550/5 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560 S/B-A / 4500 X 1450 X 2250 / 5700 kg
GP.0560.A/C.A	98 294	Varavoimalaite 500 / 550 kVA / Open / Autom.	Cummins - QSX15G8 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/C-A / 3200 X 1400 X 1900 / 3900 kg
GP.0560.A/D.A	86 806	Varavoimalaite 500 / 550 kVA / Open / Autom.	Deutz - BF8M 1015CP (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/D-A / 3200 X 1300 X 2200 / 2870 kg
GP.0560.A/DO.N.A	67 758	Varavoimalaite 500 / 550 kVA / Open / Autom.	Doosan - DP158LD (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/DO-N-A / 3200 X 1300 X 1900 / 2720 kg
GP.0560.A/I.N.A	70 278	Varavoimalaite 500 / 550 kVA / Open / Autom.	Iveco - CURSOR 13TE7W (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/I-N-A / 3400 X 1400 X 2200 / 3190 kg
GP.0560.A/M.A	92 440	Varavoimalaite 500 / 550 kVA / Open / Autom.	MTU - 10V 1600 G20F - Meccalte - ECO40-3S/4 C	Greenpower GP560A/M-A / 3200 X 1300 X 1900 / 3800 kg
GP.0560.A/MI.A	131 429	Varavoimalaite 500 / 550 kVA / Open / Autom.	Mitsubishi - S6A3-PTAA - Meccalte - ECO40-3S/4 C	Greenpower GP560A/MI-A / 3300x2200x1100 / 3940 kg
GP.0560.A/P.A	88 294	Varavoimalaite 500 / 550 kVA / Open / Autom.	Perkins - 2506A-E15TAG2 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/P-A / 3300 X 1100 X 2200 / 3490 kg
GP.0560.A/S.N.A	67 778	Varavoimalaite 500 / 550 kVA / Open / Autom.	Scania - DC13 072A 0214 - Meccalte - ECO40-3S/4 C	Greenpower GP560A/S-N-A / 3300 X 1100 X 1750 / 3120 kg
GP.0560.A/V.A	83 869	Varavoimalaite 500 / 550 kVA / Open / Autom.	Volvo - TAD 1641 GE-B (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/V-A / 3300 X 1100 X 2200 / 3475 kg
GP.0560.A/V.A	75 873	Varavoimalaite 500 / 550 kVA / Open / Autom.	Volvo - TAD 1346 GE (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560A/V-A / 3300 X 1100 X 2200 / 3475 kg
GP.0560.S/C .A	107 976	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Cummins - QSX15G8 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/C -A / 4300 X 1600 X 2250 / 5500 kg
GP.0560.S/D.A	97 163	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Deutz - BF8M 1015CP (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/D-A / 4300 X 1600 X 2250 / 4850 kg
GP.0560.S/DO.N.A	78 194	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Doosan - DP158LD (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/DO-N-A / 4300 X 1600 X 2250 / 4300 kg
GP.0560.S/I.N.A	79 603	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Iveco - CURSOR 13TE7W (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/I-N-A / 4500 X 1450 X 2250 / 4430 kg
GP.0560.S/M.A	102 381	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	MTU - 10V 1600 G20F - Meccalte - ECO40-3S/4 C	Greenpower GP560S/M-A / 4500 X 1450 X 2250 / 5500 kg
GP.0560.S/MI.A	139 940	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Mitsubishi - S6A3-PTAA - Meccalte - ECO40-3S/4 C	Greenpower GP560S/MI-A / 4500 X 1450 X 2250 / 4390 kg
GP.0560.S/P.A	98 433	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Perkins - 2506A-E15TAG2 (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/P-A / 4500 X 1450 X 2250 / 4840 kg
GP.0560.S/S.N.A	77 817	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Scania - DC13 072A 0214 - Meccalte - ECO40-3S/4 C	Greenpower GP560S/S-N-A / 4500 X 1450 X 2250 / 3950 kg
GP.0560.S/V.A	94 226	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Volvo - TAD 1641 GE-B (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/V-A / 4500 X 1450 X 2250 / 4700 kg
GP.0560.S/V.A	86 230	Varavoimalaite 500 / 550 kVA / Soundproof / Autom.	Volvo - TAD 1346 GE (E) - Meccalte - ECO40-3S/4 C	Greenpower GP560S/V-A / 4500 X 1450 X 2250 / 4700 kg
GP.0610. A/B.A	82 560	Varavoimalaite 550 / 605 kVA / Open / Autom.	Baudouin - 6M33G660/5 (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610 A/B-A / 3400 X 1400 X 2200 / 4000 kg
GP.0610. A/I.N.A	84 603	Varavoimalaite 550 / 605 kVA / Open / Autom.	Iveco - CURSOR 16TE1W (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610 A/I-N-A / 3400 X 1400 X 2200 / 3500 kg
GP.0610. S/B.A	92 619	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Baudouin - 6M33G660/5 (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610 S/B-A / 5000 X 1900 X 2350 / 6200 kg
GP.0610. S/I.N.A	94 147	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Iveco - CURSOR 16TE1W (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610 S/I-N-A / 4500 X 1450 X 2250 / 4700 kg
GP.0610.A/DO.N.A	77 937	Varavoimalaite 550 / 605 kVA / Open / Autom.	Doosan - DP180LA (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610A/DO-N-A / 3400 X 1400 X 2100 / 3750 kg
GP.0610.A/M.A	106 111	Varavoimalaite 550 / 605 kVA / Open / Autom.	MTU - 12V 1600 G10F - Meccalte - ECO40-1L/4 C	Greenpower GP610A/M-A / 3500 X 1500 X 2100 / 4000 kg
GP.0610.A/P.N.A	110 020	Varavoimalaite 550 / 605 kVA / Open / Autom.	Perkins - 2806A-E18TAG1A (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610A/P-N-A / 3400 X 1400 X 2200 / 4000 kg
GP.0610.A/S.N.A	84 901	Varavoimalaite 550 / 605 kVA / Open / Autom.	Scania - DC16 093A 0252 - Meccalte - ECO40-1L/4 C	Greenpower GP610A/S-N-A / 3400 X 1400 X 2200 / 3950 kg
GP.0610.A/V.A	97 123	Varavoimalaite 550 / 605 kVA / Open / Autom.	Volvo - TAD 1642 GE-B (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610A/V-A / 3300 X 1100 X 2190 / 3655 kg
GP.0610.S/DO.N.A	88 155	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Doosan - DP180LA (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610S/DO-N-A / 4300 X 1600 X 2250 / 4870 kg
GP.0610.S/V.A	107 024	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Volvo - TAD 1642 GE-B (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610S/V-A / 4500 X 1450 X 2250 / 5800 kg
GP.0610.SM/M.A	116 806	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	MTU - 12V 1600 G10F - Meccalte - ECO40-1L/4 C	Greenpower GP610SM/M-A / 5000 X 1900 X 2350 / 6200 kg
GP.0610.SM/P.N.A	120 992	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Perkins - 2806A-E18TAG1A (E) - Meccalte - ECO40-1L/4 C	Greenpower GP610SM/P-N-A / 5000 X 1900 X 2350 / 6200 kg
GP.0610.SM/S.N.A	96 012	Varavoimalaite 550 / 605 kVA / Soundproof / Autom.	Scania - DC16 093A 0252 - Meccalte - ECO40-1L/4 C	Greenpower GP610SM/S-N-A / 5000 X 1900 X 2350 / 5310 kg
GP.0630.A/DO.N.A	79 444	Varavoimalaite 567 / 627 kVA / Open / Autom.	Doosan - DP180LA (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP630A/DO-N-A / 3400 X 1400 X 2100 / 3970 kg
GP.0630.S/DO.N.A	89 226	Varavoimalaite 567 / 627 kVA / Soundproof / Autom.	Doosan - DP180LA (E) - Meccalte - ECO40-2L/4 C	Greenpower GP630S/DO-N-A / 4300 X 1600 X 2250 / 5100 kg
GP.0650.A/M.A	107 103	Varavoimalaite 590 / 650 kVA / Open / Autom.	MTU - 12V 1600 G10F - Meccalte - ECO40-1.5L/4 C	Greenpower GP650A/M-A / 3500 X 1500 X 2100 / 4200 kg
GP.0650.A/V.A	98 651	Varavoimalaite 590 / 650 kVA / Open / Autom.	Volvo - TAD 1642 GE-B (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP650A/V-A / 3300 X 1100 X 2200 / 4550 kg
GP.0650.S/V.A	109 087	Varavoimalaite 590 / 650 kVA / Soundproof / Autom.	Volvo - TAD 1642 GE-B (E) - Meccalte - ECO40-2L/4 C	Greenpower GP650S/V-A / 4500 X 1450 X 2250 / 5800 kg
GP.0650.SM/M.A	117 560	Varavoimalaite 590 / 650 kVA / Soundproof / Autom.	MTU - 12V 1600 G10F - Meccalte - ECO40-1.5L/4 C	Greenpower GP650SM/M-A / 5000 X 1900 X 2350 / 6400 kg
GP.0660. A/B.A	82 381	Varavoimalaite 600 / 660 kVA / Open / Autom.	Baudouin - 6M33G660/5 (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660 A/B-A / 3400 X 1400 X 2100 / 4600 kg
GP.0660. A/I.A	85 734	Varavoimalaite 600 / 660 kVA / Open / Autom.	Iveco - CURSOR 16TE1W (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660 A/I-A / 3400 X 1400 X 2200 / 3600 kg
GP.0660. S/B.A	93 631	Varavoimalaite 600 / 660 kVA / Soundproof / Autom.	Baudouin - 6M33G660/5 (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660 S/B-A / 5000 X 1900 X 2350 / 6500 kg
GP.0660. S/I.A	95 496	Varavoimalaite 600 / 660 kVA / Soundproof / Autom.	Iveco - CURSOR 16TE1W (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660 S/I-A / 4500 X 1450 X 2250 / 4800 kg
GP.0660.A/MI.A	140 754	Varavoimalaite 590 / 650 kVA / Open / Autom.	Mitsubishi - S6R-PTA - Meccalte - ECO40-1.5L/4 C	Greenpower GP660A/MI-A / 3400 X 1400 X 2100 / 4360 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0660.A/P.A	110 813	Varavoimalaite 600 / 660 kVA / Open / Autom.	Perkins - 2806A-E18TAG1A (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660A/P-A / 3400 X 1400 X 2100 / 4600 kg
GP.0660.A/S.A	86 548	Varavoimalaite 600 / 660 kVA / Open / Autom.	Scania - DC16 093A 0254 - Meccalte - ECO40-1.5L/4 C	Greenpower GP660A/S-A / 3400 X 1400 X 2200 / 4000 kg
GP.0660.SM/MI.A	152 044	Varavoimalaite 590 / 650 kVA / Soundproof / Autom.	Mitsubishi - S6R-PTA - Meccalte - ECO40-1.5L/4 C	Greenpower GP660SM/MI-A / 5000 X 1900 X 2350 / 5600 kg
GP.0660.SM/P.A	121 667	Varavoimalaite 600 / 660 kVA / Soundproof / Autom.	Perkins - 2806A-E18TAG1A (E) - Meccalte - ECO40-1.5L/4 C	Greenpower GP660SM/P-A / 5000 X 1900 X 2350 / 5875 kg
GP.0660.SM/S.A	97 798	Varavoimalaite 600 / 660 kVA / Soundproof / Autom.	Scania - DC16 093A 0254 - Meccalte - ECO40-1.5L/4 C	Greenpower GP660SM/S-A / 5000 X 1900 X 2350 / 5370 kg
GP.0700. A/B.A	91 488	Varavoimalaite 650 / 715 kVA / Open / Autom.	Baudouin - 6M33G715/5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP700 A/B-A / 3400 X 1400 X 2100 / 4900 kg
GP.0700. S/B.A	102 758	Varavoimalaite 650 / 715 kVA / Soundproof / Autom.	Baudouin - 6M33G715/5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP700 S/B-A / 5000 X 1900 X 2350 / 6800 kg
GP.0700.A/C.A	128 115	Varavoimalaite 636 / 700 kVA / Open / Autom.	Cummins - VTA28G5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP700A/C-A / 3500 X 1600 X 2100 / 5150 kg
GP.0700.A/DO.A	84 524	Varavoimalaite 640 / 710 kVA / Open / Autom.	Doosan - DP180LB (E) - Meccalte - ECO40-2L/4 C	Greenpower GP700A/DO-A / 3400 X 1400 X 2100 / 4000 kg
GP.0700.A/M.A	123 829	Varavoimalaite 649 / 714 kVA / Open / Autom.	MTU - 12V 1600 G20F - Meccalte - ECO40-2L/4 C	Greenpower GP700A/M-A / 3500 X 1500 X 2200 / 5050 kg
GP.0700.A/P.A	120 218	Varavoimalaite 650 / 715 kVA / Open / Autom.	Perkins - 2806A-E18TAG2 - Meccalte - ECO40-2L/4 C	Greenpower GP700A/P-A / 3400 X 1400 X 2100 / 4280 kg
GP.0700.A/S.A	87 520	Varavoimalaite 640 / 704 kVA / Open / Autom.	Scania - DC16 093A 0254 - Meccalte - ECO40-2L/4 C	Greenpower GP700A/S-A / 3400 X 1400 X 2200 / 4230 kg
GP.0700.S/C.A	138 869	Varavoimalaite 636 / 700 kVA / Soundproof / Autom.	Cummins - VTA28G5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP700S/C-A / 5000 X 1900 X 2350 / 7300 kg
GP.0700.SM/DO.A	96 329	Varavoimalaite 640 / 710 kVA / Soundproof / Autom.	Doosan - DP180LB (E) - Meccalte - ECO40-3L/4 C	Greenpower GP700SM/DO-A / 5000 X 1900 X 2350 / 5690 kg
GP.0700.SM/M.A	133 611	Varavoimalaite 649 / 714 kVA / Soundproof / Autom.	MTU - 12V 1600 G20F - Meccalte - ECO40-2L/4 C	Greenpower GP700SM/M-A / 5000 X 1900 X 2350 / 7200 kg
GP.0700.SM/P.A	131 429	Varavoimalaite 650 / 715 kVA / Soundproof / Autom.	Perkins - 2806A-E18TAG2 - Meccalte - ECO40-3L/4 C	Greenpower GP700SM/P-A / 5000 X 1900 X 2350 / 5930 kg
GP.0700.SM/S.A	98 770	Varavoimalaite 640 / 704 kVA / Soundproof / Autom.	Scania - DC16 093A 0254 - Meccalte - ECO40-2L/4 C	Greenpower GP700SM/S-A / 5000 X 1900 X 2350 / 5580 kg
GP.0720.A/S.A	96 508	Varavoimalaite 650 / 715 kVA / Open / Autom.	Scania - DC16 078A 0242 - Meccalte - ECO40-2L/4 C	Greenpower GP720A/S-A / 3400 X 1400 X 2200 / 4230 kg
GP.0720.A/V.A	113 075	Varavoimalaite 655 / 720 kVA / Open / Autom.	Volvo - TWD 1644 GE (E) - Meccalte - ECO40-2L/4 C	Greenpower GP720A/V-A / 3400 X 1400 X 2200 / 4400 kg
GP.0720.SM/S.A	107 679	Varavoimalaite 650 / 715 kVA / Soundproof / Autom.	Scania - DC16 078A 0242 - Meccalte - ECO40-2L/4 C	Greenpower GP720SM/S-A / 5000 X 1900 X 2350 / 5580 kg
GP.0720.SM/V.A	124 286	Varavoimalaite 655 / 720 kVA / Soundproof / Autom.	Volvo - TWD 1644 GE (E) - Meccalte - ECO40-3L/4 C	Greenpower GP720SM/V-A / 5000 X 1900 X 2350 / 6900 kg
GP.0750.A/MI.A	149 504	Varavoimalaite 680 / 750 kVA / Open / Autom.	Mitsubishi - S6R2-PTA - Meccalte - ECO40-2L/4 C	Greenpower GP750A/MI-A / 3400 X 1400 X 2100 / 4935 kg
GP.0750.SM/MI.A	161 667	Varavoimalaite 680 / 750 kVA / Soundproof / Autom.	Mitsubishi - S6R2-PTA - Meccalte - ECO40-2L/4 C	Greenpower GP750SM/MI-A / 5000 X 1900 X 2350 / 6735 kg
GP.0760. A/B.A	93 075	Varavoimalaite 680 / 750 kVA / Open / Autom.	Baudouin - 6M33G750/5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP760 A/B-A / 3400 X 1400 X 2100 / 5000 kg
GP.0760. S/B.A	104 345	Varavoimalaite 680 / 750 kVA / Soundproof / Autom.	Baudouin - 6M33G750/5 (E) - Meccalte - ECO40-2L/4 C	Greenpower GP760 S/B-A / 5000 X 1900 X 2350 / 6800 kg
GP.0760.A/DO.A	95 079	Varavoimalaite 680 / 748 kVA / Open / Autom.	Doosan - DP222LB (E) - Meccalte - ECO40-2L/4 C	Greenpower GP760A/DO-A / 3400 X 1400 X 2100 / 4270 kg
GP.0760.SM/DO.A	105 853	Varavoimalaite 680 / 748 kVA / Soundproof / Autom.	Doosan - DP222LB (E) - Meccalte - ECO40-3L/4 C	Greenpower GP760SM/DO-A / 5000 X 1900 X 2350 / 6200 kg
GP.0780.A/P.A	140 992	Varavoimalaite 700 / 770 kVA / Open / Autom.	Perkins - 2806A-E18TTAG4 - Meccalte - ECO40-VL/4 C	Greenpower GP780A/P-A / 3800 X 1700 X 2560 / 5000 kg
GP.0780.A/S.A	101 190	Varavoimalaite 700 / 770 kVA / Open / Autom.	Scania - DC16 078A 0243 - Meccalte - ECO40-VL/4 C	Greenpower GP780A/S-A / 3400 X 1400 X 2200 / 4350 kg
GP.0780.A/V.A	125 218	Varavoimalaite 705 / 775 kVA / Open / Autom.	Volvo - TWD 1645 GE (E) - Meccalte - ECO40-VL/4 C	Greenpower GP780A/V-A / 3400 X 1400 X 2200 / 4550 kg
GP.0780.S/P.A	151 290	Varavoimalaite 700 / 770 kVA / Soundproof / Autom.	Perkins - 2806A-E18TTAG4 - Meccalte - ECO40-VL/4 C	Greenpower GP780S/P-A / 5000 X 1900 X 2350 / 7400 kg
GP.0780.SM/P.A	153 968	Varavoimalaite 700 / 770 kVA / Soundproof / Autom.	Perkins - 2806A-E18TTAG4 - Meccalte - ECO40-VL/4 C	Greenpower GP780SM/P-A / 5850 X 1900 X 2350 / 7950 kg
GP.0780.SM/S.A	112 361	Varavoimalaite 700 / 770 kVA / Soundproof / Autom.	Scania - DC16 078A 0243 - Meccalte - ECO40-VL/4 C	Greenpower GP780SM/S-A / 5000 X 1900 X 2350 / 5700 kg
GP.0780.SM/V.A	136 071	Varavoimalaite 705 / 775 kVA / Soundproof / Autom.	Volvo - TWD 1645 GE (E) - Meccalte - ECO40-VL/4 C	Greenpower GP780SM/V-A / 5000 X 1900 X 2350 / 7000 kg
GP.0810. A/B.A	109 841	Varavoimalaite 750 / 825 kVA / Open / Autom.	Baudouin - 6M33G825/5 (E) - Meccalte - ECO40-VL/4 C	Greenpower GP810 A/B-A / 3800 X 1700 X 2250 / 6000 kg
GP.0810. SM/B.A	122 302	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Baudouin - 6M33G825/5 (E) - Meccalte - ECO40-VL/4 C	Greenpower GP810 SM/B-A / 5850 X 1900 X 2350 / 8000 kg
GP.0810.A/DO.A	110 456	Varavoimalaite 743 / 818 kVA / Open / Autom.	Doosan - DP222LC (E) - Meccalte - ECO40-VL/4 C	Greenpower GP810A/DO-A / 3500 X 1500 X 2100 / 4370 kg
GP.0810.A/MI.A	172 083	Varavoimalaite 740 / 820 kVA / Open / Autom.	Mitsubishi - S6R2-PTAA - Meccalte - ECO40-VL/4 or	Greenpower GP810A/MI-A / 3800 X 1700 X 2250 / 5300 kg
GP.0810.A/P.A	155 933	Varavoimalaite 750 / 825 kVA / Open / Autom.	Perkins - 4006-23TAG2A - Meccalte - ECO40-VL/4 C	Greenpower GP810A/P-A / 3800 X 1700 X 2250 / 6000 kg
GP.0810.A/P.A.	154 762	Varavoimalaite 750 / 825 kVA / Open / Autom.	Perkins - 2806A-E18TTAG5 - Meccalte - ECO40-VL/4 C	Greenpower GP810A/P-A-2 / 3800 X 1700 X 2560 / 5600 kg
GP.0810.A/S.A	107 401	Varavoimalaite 725 / 800 kVA / Open / Autom.	Scania - DC16 078A 0244 - Meccalte - ECO40-VL/4 C	Greenpower GP810A/S-A / 3400 X 1400 X 2200 / 4590 kg
GP.0810.S/P.A	166 409	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Perkins - 4006-23TAG2A - Meccalte - ECO40-VL/4 C	Greenpower GP810S/P-A / 5000 X 1900 X 2350 / 7500 kg
GP.0810.S/P.A.	165 238	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Perkins - 2806A-E18TTAG5 - Meccalte - ECO40-VL/4 C	Greenpower GP810S/P-A-2 / 5000 X 1900 X 2350 / 7400 kg
GP.0810.SM/DO.A	121 250	Varavoimalaite 743 / 818 kVA / Soundproof / Autom.	Doosan - DP222LC (E) - Meccalte - ECO40-VL/4 C	Greenpower GP810SM/DO-A / 5000 X 1900 X 2350 / 5930 kg
GP.0810.SM/MI.A	185 357	Varavoimalaite 740 / 820 kVA / Soundproof / Autom.	Mitsubishi - S6R2-PTAA - Meccalte - ECO40-VL/4 or	Greenpower GP810SM/MI-A / 5850 X 1900 X 2350 / 8500 kg
GP.0810.SM/P.A	169 067	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Perkins - 4006-23TAG2A - Meccalte - ECO40-VL/4 C	Greenpower GP810SM/P-A / 5850 X 1900 X 2350 / 8200 kg
GP.0810.SM/P.A.	167 698	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Perkins - 2806A-E18TTAG5 - Meccalte - ECO40-VL/4 C	Greenpower GP810SM/P-A-2 / 5850 X 1900 X 2350 / 8100 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.0810.SM/S.A	118 571	Varavoimalaite 725 / 800 kVA / Soundproof / Autom.	Scania - DC16 078A 0244 - Meccalte - ECO40-VL/4 C	Greenpower GP810SM/S-A / 5000 X 1900 X 2350 / 5840 kg
GP.0825.A/C.A	143 214	Varavoimalaite 750 / 825 kVA / Open / Autom.	Cummins - VTA28 G6 (E) - Meccalte - ECO40-VL/4 C	Greenpower GP825A/C-A / 4000 X 1700 X 2100 / 5250 kg
GP.0825.SM/C.A	155 377	Varavoimalaite 750 / 825 kVA / Soundproof / Autom.	Cummins - VTA28 G6 (E) - Meccalte - ECO40-VL/4 C	Greenpower GP825SM/C-A / 5850 X 1900 X 2350 / 8200 kg
GP.0880. A/B.A	136 468	Varavoimalaite 800 / 880 kVA / Open / Autom.	Baudouin - 12M26G900/5 (E) - Meccalte - ECO43-1S/4	Greenpower GP880 A/B-A / 4500 X 2050 X 2460 / 6250 kg
GP.0880. A/DO.A	134 167	Varavoimalaite 800 / 880 kVA / Open / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-1S/4	Greenpower GP880 A/DO-A / 4000 X 1800 X 2350 / 5950 kg
GP.0880. S/DO.A	143 194	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-1S/4	Greenpower GP880 S/DO-A / 5000 X 1900 X 2350 / 7245 kg
GP.0880. SM/B.A	148 690	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Baudouin - 12M26G900/5 (E) - Meccalte - ECO43-1S/4	Greenpower GP880 SM/B-A / 5850 X 1900 X 2350 / 7200 kg
GP.0880. SM/DO.A	145 853	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-1S/4	Greenpower GP880 SM/DO-A / 5850 X 1900 X 2350 / 7800 kg
GP.0880.A/C.A	163 194	Varavoimalaite 800 / 880 kVA / Open / Autom.	Cummins - QSK23G3 (E) - Meccalte - ECO43-1S/4	Greenpower GP880A/C-A / 4000 X 1700 X 2100 / 5350 kg
GP.0880.A/M.A	178 948	Varavoimalaite 800 / 880 kVA / Open / Autom.	MTU - 12V 2000 G26F - Meccalte - ECO43-1S/4	Greenpower GP880A/M-A / 4000 X 1500 X 2100 / 5350 kg
GP.0880.A/MI.A	192 440	Varavoimalaite 780 / 860 kVA / Open / Autom.	Mitsubishi - S12A2-PTA - Meccalte - ECO43-1S/4	Greenpower GP880A/MI-A / 4000 X 1800 X 2350 / 5500 kg
GP.0880.A/P.A	158 036	Varavoimalaite 800 / 880 kVA / Open / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-1S/4	Greenpower GP880A/P-A / 4000 X 1800 X 2350 / 5850 kg
GP.0880.S/P.A	167 500	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-1S/4	Greenpower GP880S/P-A / 5000 X 1900 X 2350 / 7545 kg
GP.0880.SM/C.A	175 317	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Cummins - QSK23G3 (E) - Meccalte - ECO43-1S/4	Greenpower GP880SM/C-A / 5850 X 1900 X 2350 / 8500 kg
GP.0880.SM/M.A	191 329	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	MTU - 12V 2000 G26F - Meccalte - ECO43-1S/4	Greenpower GP880SM/M-A / 5850 X 1900 X 2550 / 8800 kg
GP.0880.SM/MI.A	204 722	Varavoimalaite 780 / 860 kVA / Soundproof / Autom.	Mitsubishi - S12A2-PTA - Meccalte - ECO43-1S/4	Greenpower GP880SM/MI-A / 5850 X 1900 X 2350 / 8700 kg
GP.0880.SM/P.A	170 179	Varavoimalaite 800 / 880 kVA / Soundproof / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-1S/4	Greenpower GP880SM/P-A / 5850 X 1900 X 2350 / 8100 kg
GP.0900. A/B.A	140 020	Varavoimalaite 800 / 900 kVA / Open / Autom.	Baudouin - 12M26G900/5 (E) - Meccalte - ECO43-2S/4	Greenpower GP900 A/B-A / 4500 X 2050 X 2460 / 6500 kg
GP.0900. A/DO.A	137 738	Varavoimalaite 810 / 900 kVA / Open / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-2S/4	Greenpower GP900 A/DO-A / 4000 X 1800 X 2350 / 6200 kg
GP.0900. S/DO.A	147 718	Varavoimalaite 810 / 900 kVA / Soundproof / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-2S/4	Greenpower GP900 S/DO-A / 5000 X 1900 X 2350 / 7670 kg
GP.0900. SM/B.A	152 460	Varavoimalaite 800 / 900 kVA / Soundproof / Autom.	Baudouin - 12M26G900/5 (E) - Meccalte - ECO43-2S/4	Greenpower GP900 SM/B-A / 5850 X 1900 X 2350 / 7200 kg
GP.0900. SM/DO.A	150 397	Varavoimalaite 810 / 900 kVA / Soundproof / Autom.	Doosan - DP222CB (E) - Meccalte - ECO43-2S/4	Greenpower GP900 SM/DO-A / 5850 X 1900 X 2350 / 9150 kg
GP.0900.A/P.A	162 401	Varavoimalaite 800 / 900 kVA / Open / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-2S/4	Greenpower GP900A/P-A / 4000 X 1800 X 2350 / 6050 kg
GP.0900.S/P.A	172 083	Varavoimalaite 800 / 900 kVA / Soundproof / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-2S/4	Greenpower GP900S/P-A / 5000 X 1900 X 2350 / 7750 kg
GP.0900.SM/P.A	174 524	Varavoimalaite 800 / 900 kVA / Soundproof / Autom.	Perkins - 4006-23TAG3A - Meccalte - ECO43-2S/4	Greenpower GP900SM/P-A / 5850 X 1900 X 2350 / 8350 kg
GP.1000. A/B.A	159 206	Varavoimalaite 900 / 1000 kVA / Open / Autom.	Baudouin - 12M26G1000/5 (E) - Meccalte - ECO43-2S/4	Greenpower GP1000 A/B-A / 4500 X 2050 X 2460 / 7700 kg
GP.1000. A/DO.A	146 032	Varavoimalaite 910 / 1010 kVA / Open / Autom.	Doosan - DP222CC (E) - Meccalte - ECO43-2S/4	Greenpower GP1000 A/DO-A / 4000 X 1800 X 2350 / 6420 kg
GP.1000. S/DO.A	156 151	Varavoimalaite 910 / 1010 kVA / Soundproof / Autom.	Doosan - DP222CC (E) - Meccalte - ECO43-2S/4	Greenpower GP1000 S/DO-A / 5000 X 1900 X 2350 / 7890 kg
GP.1000. SM/B.A	172 063	Varavoimalaite 900 / 1000 kVA / Soundproof / Autom.	Baudouin - 12M26G1000/5 (E) - Meccalte - ECO43-2S/4	Greenpower GP1000 SM/B-A / 5850 X 1900 X 2350 / 10300 kg
GP.1000. SM/DO.A	158 810	Varavoimalaite 910 / 1010 kVA / Soundproof / Autom.	Doosan - DP222CC (E) - Meccalte - ECO43-2S/4	Greenpower GP1000 SM/DO-A / 5850 X 1900 X 2350 / 9370 kg
GP.1000.A/C.A	196 071	Varavoimalaite 910 / 1000 kVA / Open / Autom.	Cummins - KTA38G3 (E) - Meccalte - ECO43-2S/4	Greenpower GP1000A/C-A / 4000 X 1700 X 2060 / 7300 kg
GP.1000.A/M.A	209 385	Varavoimalaite 910 / 1005 kVA / Open / Autom.	MTU - 16V 2000 G16F - Meccalte - ECO43-2S/4	Greenpower GP1000A/M-A / 4450 X 1910 X 2250 / 6250 kg
GP.1000.A/MI.A	217 877	Varavoimalaite 880 / 970 kVA / Open / Autom.	Mitsubishi - S12A2-PTA2 - Meccalte - ECO43-2S/4	Greenpower GP1000A/MI-A / 4500 X 2050 X 2460 / 6300 kg
GP.1000.A/P.A	199 325	Varavoimalaite 915 / 1005 kVA / Open / Autom.	Perkins - 4008-TAG1A - Meccalte - ECO43-2S/4	Greenpower GP1000A/P-A / 4500 X 2050 X 2460 / 7700 kg
GP.1000.S/P.A	216 071	Varavoimalaite 915 / 1005 kVA / Soundproof / Autom.	Perkins - 4008-TAG1A - Meccalte - ECO43-2S/4	Greenpower GP1000S/P-A / 5900 X 2270 X 2550 / 10700 kg
GP.1000.SM/C.A	214 067	Varavoimalaite 910 / 1000 kVA / Soundproof / Autom.	Cummins - KTA38G3 (E) - Meccalte - ECO43-2S/4	Greenpower GP1000SM/C-A / 6500 X 2270 X 2550 / 9200 kg
GP.1000.SM/M.A	227 460	Varavoimalaite 910 / 1005 kVA / Soundproof / Autom.	MTU - 16V 2000 G16F - Meccalte - ECO43-2S/4	Greenpower GP1000SM/M-A / 6500 X 2270 X 2550 / 9900 kg
GP.1000.SM/MI.A	236 329	Varavoimalaite 880 / 970 kVA / Soundproof / Autom.	Mitsubishi - S12A2-PTA2 - Meccalte - ECO43-2S/4	Greenpower GP1000SM/MI-A / 6500 X 2270 X 2550 / 9700 kg
GP.1000.SM/P.A	217 619	Varavoimalaite 915 / 1005 kVA / Soundproof / Autom.	Perkins - 4008-TAG1A - Meccalte - ECO43-2S/4	Greenpower GP1000SM/P-A / 6500 X 2270 X 2550 / 11100 kg
GP.1120. A/B.A	169 167	Varavoimalaite 1000 / 1100 kVA / Open / Autom.	Baudouin - 12M26G1100/5 (E) - Meccalte - ECO43-1M/4	Greenpower GP1120 A/B-A / 4800 X 2050 X 2200 / 7800 kg
GP.1120. SM/B.A	180 873	Varavoimalaite 1000 / 1100 kVA / Soundproof / Autom.	Baudouin - 12M26G1100/5 (E) - Meccalte - ECO43-1M/4	Greenpower GP1120 SM/B-A / 5850 X 1900 X 2350 / 10600 kg
GP.1120.A/C.A	198 750	Varavoimalaite 1000 / 1100 kVA / Open / Autom.	Cummins - KTA38G5 (E) - Meccalte - ECO43-1M/4	Greenpower GP1120A/C-A / 4500 X 2050 X 2350 / 8700 kg
GP.1120.A/M.A	222 202	Varavoimalaite 1005 / 1106 kVA / Open / Autom.	MTU - 16V 2000 G26F - Meccalte - ECO43-1M/4	Greenpower GP1120A/M-A / 4450 X 1910 X 2250 / 7200 kg
GP.1120.A/MI.A	248 690	Varavoimalaite 1025 / 1128 kVA / Open / Autom.	Mitsubishi - S12H-PTA - Meccalte - ECO43-2S/4	Greenpower GP1120A/MI-A / 4800 X 2050 X 2200 / 9700 kg
GP.1120.A/P.A	201 905	Varavoimalaite 1022 / 1125 kVA / Open / Autom.	Perkins - 4008-TAG2A - Meccalte - ECO43-1M/4	Greenpower GP1120A/P-A / 4800 X 2050 X 2200 / 7800 kg
GP.1120.S/P.A	217 738	Varavoimalaite 1022 / 1125 kVA / Soundproof / Autom.	Perkins - 4008-TAG2A - Meccalte - ECO43-1M/4	Greenpower GP1120S/P-A / 5900 X 2270 X 2550 / 11000 kg
GP.1120.SM/C.A	215 893	Varavoimalaite 1000 / 1100 kVA / Soundproof / Autom.	Cummins - KTA38G5 (E) - Meccalte - ECO43-1M/4	Greenpower GP1120SM/C-A / 6500 X 2270 X 2550 / 12130 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.1120.SM/M.A	239 643	Varavoimalaite 1005 / 1106 kVA / Soundproof / Autom.	MTU - 16V 2000 G26F - Meccalte - ECO43-1M/4	Greenpower GP1120SM/M-A / 6500 X 2270 X 2550 / 10200 kg
GP.1120.SM/MI.A	266 250	Varavoimalaite 1025 / 1128 kVA / Soundproof / Autom.	Mitsubishi - S12H-PTA - Meccalte - ECO43-2S/4	Greenpower GP1120SM/MI-A / 6500 X 2270 X 2550 / 13500 kg
GP.1120.SM/P.A	219 286	Varavoimalaite 1022 / 1125 kVA / Soundproof / Autom.	Perkins - 4008-TAG2A - Meccalte - ECO43-1M/4	Greenpower GP1120SM/P-A / 6500 X 2270 X 2550 / 11400 kg
GP.1260. A/B.A	217 044	Varavoimalaite 1125 / 1250 kVA / Open / Autom.	Baudouin - 12M33G1250/5 (E) - Meccalte - ECO43-2L/4	Greenpower GP1260 A/B-A / 5100 X 1950 X 2450 / 11000 kg
GP.1260. SM/B.A	237 798	Varavoimalaite 1125 / 1250 kVA / Soundproof / Autom.	Baudouin - 12M33G1250/5 (E) - Meccalte - ECO43-2L/4	Greenpower GP1260 SM/B-A / 7000 X 2270 X 2550 / 11610 kg
GP.1260.A/C.A	239 762	Varavoimalaite 1136 / 1250 kVA / Open / Autom.	Cummins - KTA38G9 (E) - Meccalte - ECO43-2M/4	Greenpower GP1260A/C-A / 4500 X 1800 X 2350 / 10400 kg
GP.1260.A/M.A	259 127	Varavoimalaite 1135 / 1250 kVA / Open / Autom.	MTU - 16V 2000 G36F - Meccalte - ECO43-2M/4	Greenpower GP1260A/M-A / 4700 X 1910 X 2350 / 7650 kg
GP.1260.A/P.A	248 135	Varavoimalaite 1125 / 1250 kVA / Open / Autom.	Perkins - 4008-30TAG3 - Meccalte - ECO43-2M/4	Greenpower GP1260A/P-A / 4900 X 2000 X 2300 / 9550 kg
GP.1260.SM/C.A	258 988	Varavoimalaite 1136 / 1250 kVA / Soundproof / Autom.	Cummins - KTA38G9 (E) - Meccalte - ECO43-2M/4	Greenpower GP1260SM/C-A / 6500 X 2270 X 2550 / 13400 kg
GP.1260.SM/M.A	278 849	Varavoimalaite 1135 / 1250 kVA / Soundproof / Autom.	MTU - 16V 2000 G36F - Meccalte - ECO43-2M/4	Greenpower GP1260SM/M-A / 7000 X 2270 X 2550 / 10850 kg
GP.1260.SM/P.A	269 167	Varavoimalaite 1125 / 1250 kVA / Soundproof / Autom.	Perkins - 4008-30TAG3 - Meccalte - ECO43-2M/4	Greenpower GP1260SM/P-A / 7000 X 2270 X 2550 / 11610 kg
GP.1380. A/B.A	234 306	Varavoimalaite 1250 / 1400 kVA / Open / Autom.	Baudouin - 12M33G1400/5 (E) - Meccalte - ECO43-2L/4	Greenpower GP1380 A/B-A / 5200 X 1950 X 2500 / 11600 kg
GP.1380. SM/B.A	254 444	Varavoimalaite 1250 / 1400 kVA / Soundproof / Autom.	Baudouin - 12M33G1400/5 (E) - Meccalte - ECO43-2L/4	Greenpower GP1380 SM/B-A / 7000 X 2270 X 2550 / 13300 kg
GP.1380.A/M.A	284 365	Varavoimalaite 1250 / 1380 kVA / Open / Autom.	MTU - 18V 2000 G26F - Meccalte - ECO43-2L/4	Greenpower GP1380A/M-A / 4700 X 1910 X 2350 / 9700 kg
GP.1380.A/P.A	296 310	Varavoimalaite 1253 / 1385 kVA / Open / Autom.	Perkins - 4012-46TWG2A - Meccalte - ECO43-2L/4	Greenpower GP1380A/P-A / 4900 X 2000 X 2300 / 11600 kg
GP.1380.SM/M.A	303 591	Varavoimalaite 1250 / 1380 kVA / Soundproof / Autom.	MTU - 18V 2000 G26F - Meccalte - ECO43-2L/4	Greenpower GP1380SM/M-A / 7000 X 2270 X 2550 / 12600 kg
GP.1380.SM/P.A	316 806	Varavoimalaite 1253 / 1385 kVA / Soundproof / Autom.	Perkins - 4012-46TWG2A - Meccalte - ECO43-2L/4	Greenpower GP1380SM/P-A / 7000 X 2270 X 2550 / 13300 kg
GP.1400.A/C.A	293 452	Varavoimalaite 1275 / 1400 kVA / Open / Autom.	Cummins - KTA50G3 (E) - Meccalte - ECO43-2L/4	Greenpower GP1400A/C-A / 5050 X 2000 X 2250 / 10000 kg
GP.1400.SM/C.A	312 302	Varavoimalaite 1275 / 1400 kVA / Soundproof / Autom.	Cummins - KTA50G3 (E) - Meccalte - ECO43-2L/4	Greenpower GP1400SM/C-A / 7000 X 2270 X 2550 / 14000 kg
GP.1410.A/MI.A	299 246	Varavoimalaite 1280 / 1408 kVA / Open / Autom.	Mitsubishi - S12R-PTA - Meccalte - ECO43-2L/4	Greenpower GP1410A/MI-A / 4500 X 2050 X 2350 / 10000 kg
GP.1410.SM/MI.A	318 690	Varavoimalaite 1280 / 1408 kVA / Soundproof / Autom.	Mitsubishi - S12R-PTA - Meccalte - ECO43-2L/4	Greenpower GP1410SM/MI-A / 7000 X 2270 X 2550 / 14000 kg
GP.1500. A/B.A	261 687	Varavoimalaite 1375 / 1500 kVA / Open / Autom.	Baudouin - 12M33G1500/5 (E) - Meccalte - ECO46-1S/4	Greenpower GP1500 A/B-A / 5300 X 1950 X 2500 / 11800 kg
GP.1500. SM/B.A	282 183	Varavoimalaite 1375 / 1500 kVA / Soundproof / Autom.	Baudouin - 12M33G1500/5 (E) - Meccalte - ECO46-1S/4	Greenpower GP1500 SM/B-A / 7000 X 2270 X 2550 / 14000 kg
GP.1500.A/P.A	339 643	Varavoimalaite 1360 / 1500 kVA / Open / Autom.	Perkins - 4012-46TWG3A - Meccalte - ECO43-VL/4	Greenpower GP1500A/P-A / 4800 X 2000 X 2370 / 11800 kg
GP.1500.SM/P.A	359 107	Varavoimalaite 1360 / 1500 kVA / Soundproof / Autom.	Perkins - 4012-46TWG3A - Meccalte - ECO43-VL/4	Greenpower GP1500SM/P-A / 7000 X 2270 X 2550 / 14000 kg
GP.1540.A/MI.A	321 726	Varavoimalaite 1380 / 1520 kVA / Open / Autom.	Mitsubishi - S12R-PTA2 - Meccalte - ECO43-VL/4	Greenpower GP1540A/MI-A / 4500 X 2100 X 2350 / 10500 kg
GP.1540.SM/MI.A	341 687	Varavoimalaite 1380 / 1520 kVA / Soundproof / Autom.	Mitsubishi - S12R-PTA2 - Meccalte - ECO43-VL/4	Greenpower GP1540SM/MI-A / 7000 X 2270 X 2550 / 14500 kg
GP.1590.A/M.A	456 905	Varavoimalaite 1445 / 1590 kVA / Open / Autom.	MTU - 12V4000 G14RF - Meccalte - ECO46-1S/4	Greenpower GP1590A/M-A / 5000 X 2000 X 2500 / 12000 kg
GP.1590.SM/M.A	483 929	Varavoimalaite 1445 / 1590 kVA / Soundproof / Autom.	MTU - 12V4000 G14RF - Meccalte - ECO46-1S/4	Greenpower GP1590SM/M-A / 8300 X 2460 X 2820 / 17900 kg
GP.1640.A/C.A	347 044	Varavoimalaite 1400 / 1650 kVA / Open / Autom.	Cummins - KTA50G8 (E) - Meccalte - ECO43-VL/4	Greenpower GP1640A/C-A / 5550 X 2050 X 2350 / 11800 kg
GP.1640.SM/C.A	366 250	Varavoimalaite 1400 / 1650 kVA / Soundproof / Autom.	Cummins - KTA50G8 (E) - Meccalte - ECO43-VL/4	Greenpower GP1640SM/C-A / 7000 X 2270 X 2550 / 15500 kg
GP.1650. A/B.A	286 944	Varavoimalaite 1500 / 1650 kVA / Open / Autom.	Baudouin - 12M33G1650/5 (E) - Meccalte - ECO46-1.5S/4	Greenpower GP1650 A/B-A / 5400 X 1950 X 2500 / 11900 kg
GP.1650. SM/B.A	313 333	Varavoimalaite 1500 / 1650 kVA / Soundproof / Autom.	Baudouin - 12M33G1650/5 (E) - Meccalte - ECO46-1.5S/4	Greenpower GP1650 SM/B-A / 8300 X 2460 X 2820 / 14100 kg
GP.1650.A/C.A	369 782	Varavoimalaite 1500 / 1650 kVA / Open / Autom.	Cummins - KTA50GS8 (E) (*) - Meccalte - ECO46-1S/4	Greenpower GP1650A/C-A / 5550 X 2050 X 2350 / 11800 kg
GP.1650.A/MI.A	377 242	Varavoimalaite 1500 / 1650 kVA / Open / Autom.	Mitsubishi - S12R-PTAA2 - Meccalte - ECO46-1S/4	Greenpower GP1650A/MI-A / 5150 X 2200 X 2570 / 11700 kg
GP.1650.A/P.A	344 583	Varavoimalaite 1500 / 1650 kVA / Open / Autom.	Perkins - 4012-46TAG2A - Meccalte - ECO46-1S/4	Greenpower GP1650A/P-A / 5200 X 2200 X 2500 / 12400 kg
GP.1650.SM/C.A	388 988	Varavoimalaite 1500 / 1650 kVA / Soundproof / Autom.	Cummins - KTA50GS8 (E) (*) - Meccalte - ECO46-1S/4	Greenpower GP1650SM/C-A / 7000 X 2270 X 2550 / 15500 kg
GP.1650.SM/MI.A	397 202	Varavoimalaite 1500 / 1650 kVA / Soundproof / Autom.	Mitsubishi - S12R-PTAA2 - Meccalte - ECO46-1S/4	Greenpower GP1650SM/MI-A / 7000 X 2270 X 2550 / 15500 kg
GP.1650.SM/P.A	364 266	Varavoimalaite 1500 / 1650 kVA / Soundproof / Autom.	Perkins - 4012-46TAG2A - Meccalte - ECO46-1S/4	Greenpower GP1650SM/P-A / 7000 X 2460 X 2550 / 15700 kg
GP.1700. A/B.A	330 675	Varavoimalaite 1500 / 1700 kVA / Open / Autom.	Baudouin - 16M33G1700/5 (E) - Meccalte - ECO46-1.5S/4	Greenpower GP1700 A/B-A / 5200 X 2200 X 2500 / 12100 kg
GP.1700. SM/B.A	356 667	Varavoimalaite 1500 / 1700 kVA / Soundproof / Autom.	Baudouin - 16M33G1700/5 (E) - Meccalte - ECO46-1.5S/4	Greenpower GP1700 SM/B-A / 8300 X 2460 X 2820 / 16000 kg
GP.1780.A/M.A	472 440	Varavoimalaite 1650 / 1815 kVA / Open / Autom.	MTU - 12V4000 G14F - Meccalte - ECO46-1.5S/4	Greenpower GP1780A/M-A / 5000 X 2000 X 2500 / 12800 kg
GP.1780.SM/M.A	499 762	Varavoimalaite 1650 / 1815 kVA / Soundproof / Autom.	MTU - 12V4000 G14F - Meccalte - ECO46-1.5S/4	Greenpower GP1780SM/M-A / 8300 X 2460 X 2820 / 19500 kg
GP.1870. A/B.A	350 476	Varavoimalaite 1750 / 1900 kVA / Open / Autom.	Baudouin - 16M33G1900/5 (E) - Meccalte - ECO46-1L/4	Greenpower GP1870 A/B-A / 6000 X 2220 X 2750 / 12400 kg
GP.1870. SM/B.A	377 659	Varavoimalaite 1750 / 1900 kVA / Soundproof / Autom.	Baudouin - 16M33G1900/5 (E) - Meccalte - ECO46-1L/4	Greenpower GP1870 SM/B-A / 8300 X 2460 X 2820 / 16200 kg
GP.1870.A/P.A	378 492	Varavoimalaite 1705 / 1875 kVA / Open / Autom.	Perkins - 4012-46TAG3A - Meccalte - ECO46-2S/4	Greenpower GP1870A/P-A / 5200 X 2220 X 2660 / 13000 kg
GP.1870.SM/P.A	405 496	Varavoimalaite 1705 / 1875 kVA / Soundproof / Autom.	Perkins - 4012-46TAG3A - Meccalte - ECO46-2S/4	Greenpower GP1870SM/P-A / 8300 X 2460 X 2820 / 16500 kg

KOODI	€ alv 0%	Nimike 1	Nimike 2	Nimike 3
GP.1920.A/MI.A	399 187	Varavoimalaite 1740 / 1920 kVA / Open / Autom.	Mitsubishi - S16R-PTA - Meccalte - ECO46-2S/4	Greenpower GP1920A/MI-A / 5150 X 2200 X 2570 / 12500 kg
GP.1920.SM/MI.A	426 786	Varavoimalaite 1740 / 1920 kVA / Soundproof / Autom.	Mitsubishi - S16R-PTA - Meccalte - ECO46-2S/4	Greenpower GP1920SM/MI-A / 8300 X 2460 X 2820 / 17900 kg
GP.2000. A/B.A	373 075	Varavoimalaite 1830 / 2000 kVA / Open / Autom.	Baudouin - 16M33G2000/5 (E) - Meccalte - ECO46-1L/4	Greenpower GP2000 A/B-A / 6000 X 2220 X 2750 / 13000 kg
GP.2000. SM/B.A	420 238	Varavoimalaite 1830 / 2000 kVA / Soundproof / Autom.	Baudouin - 16M33G2000/5 (E) - Meccalte - ECO46-1L/4	Greenpower GP2000 SM/B-A / 9000 X 2460 X 3300 / 17500 kg
GP.2000.A/P.A	458 194	Varavoimalaite 1850 / 2035 kVA / Open / Autom.	Perkins - 4016-TAG1A - Meccalte - ECO46-1L/4	Greenpower GP2000A/P-A / 6100 X 2200 X 2450 / 13900 kg
GP.2000.A/P.A.	492 480	Varavoimalaite 1850 / 2035 kVA / Open / Autom.	Perkins - 4016-61TRG1 - Meccalte - ECO46-1L/4	Greenpower GP2000A/P-A-2 / 6100 X 2200 X 2450 / 14200 kg
GP.2000.SM/P.A	484 266	Varavoimalaite 1850 / 2035 kVA / Soundproof / Autom.	Perkins - 4016-TAG1A - Meccalte - ECO46-1L/4	Greenpower GP2000SM/P-A / 8300 X 2460 X 2820 / 22300 kg
GP.2000.SM/P.A.	518 790	Varavoimalaite 1850 / 2035 kVA / Soundproof / Autom.	Perkins - 4016-61TRG1 - Meccalte - ECO46-1L/4	Greenpower GP2000SM/P-A-2 / 8300 X 2460 X 2820 / 18400 kg
GP.2040.A/M.A	602 103	Varavoimalaite 1850 / 2035 kVA / Open / Autom.	MTU - 12V4000 G24F - Meccalte - ECO46-1L/4	Greenpower GP2040A/M-A / 5000 X 2000 X 2500 / 14400 kg
GP.2040.SM/M.A	628 294	Varavoimalaite 1850 / 2035 kVA / Soundproof / Autom.	MTU - 12V4000 G24F - Meccalte - ECO46-1L/4	Greenpower GP2040SM/M-A / 8300 X 2460 X 2820 / 21700 kg
GP.2060.A/MI.A	444 762	Varavoimalaite 1900 / 2090 kVA / Open / Autom.	Mitsubishi - S16R-PTA2 - Meccalte - ECO46-1L/4	Greenpower GP2060A/MI-A / 5500 X 2200 X 2570 / 14300 kg
GP.2060.SM/MI.A	471 230	Varavoimalaite 1900 / 2090 kVA / Soundproof / Autom.	Mitsubishi - S16R-PTA2 - Meccalte - ECO46-1L/4	Greenpower GP2060SM/MI-A / 8300 X 2460 X 2820 / 19500 kg
GP.2090.A/C.A	540 020	Varavoimalaite 1875 / 2060 kVA / Open / Autom.	Cummins - QSK60G3 (E) - Meccalte - ECO46-1L/4	Greenpower GP2090A/C-A / 5900 X 2550 X 3150 / 15300 kg
GP.2090.SM/C.A	595 198	Varavoimalaite 1875 / 2060 kVA / Soundproof / Autom.	Cummins - QSK60G3 (E) - Meccalte - ECO46-1L/4	Greenpower GP2090SM/C-A / 10000 X 2460 X 3300 / 26000 kg
GP.2200.A/C.A	552 917	Varavoimalaite 2034 / 2233 kVA / Open / Autom.	Cummins - QSK60G4 (E) - Meccalte - ECO46-1L/4	Greenpower GP2200A/C-A / 5900 X 2550 X 3150 / 15300 kg
GP.2200.A/MI.A	490 357	Varavoimalaite 2020 / 2222 kVA / Open / Autom.	Mitsubishi - S16R-PTAA2 - Meccalte - ECO46-1L/4	Greenpower GP2200A/MI-A / 5500 X 2300 X 2570 / 14800 kg
GP.2200.A/P.A	475 357	Varavoimalaite 2000 / 2200 kVA / Open / Autom.	Perkins - 4016-TAG2A - Meccalte - ECO46-1L/4	Greenpower GP2200A/P-A / 6150 X 2220 X 2450 / 14500 kg
GP.2200.A/P.A.	506 329	Varavoimalaite 2000 / 2200 kVA / Open / Autom.	Perkins - 4016-61TRG2 - Meccalte - ECO46-1L/4	Greenpower GP2200A/P-A-2 / 6150 X 2220 X 2450 / 14800 kg
GP.2200.SM/C.A	611 329	Varavoimalaite 2034 / 2233 kVA / Soundproof / Autom.	Cummins - QSK60G4 (E) - Meccalte - ECO46-1L/4	Greenpower GP2200SM/C-A / 10000 X 2460 X 3300 / 26000 kg
GP.2200.SM/MI.A	549 563	Varavoimalaite 2020 / 2222 kVA / Soundproof / Autom.	Mitsubishi - S16R-PTAA2 - Meccalte - ECO46-1L/4	Greenpower GP2200SM/MI-A / 10000 X 2460 X 3300 / 24300 kg
GP.2200.SM/P.A	504 425	Varavoimalaite 2000 / 2200 kVA / Soundproof / Autom.	Perkins - 4016-TAG2A - Meccalte - ECO46-1L/4	Greenpower GP2200SM/P-A / 8300 X 2460 X 2820 / 22900 kg
GP.2200.SM/P.A.	535 635	Varavoimalaite 2000 / 2200 kVA / Soundproof / Autom.	Perkins - 4016-61TRG2 - Meccalte - ECO46-1L/4	Greenpower GP2200SM/P-A-2 / 8300 X 2460 X 2820 / 19000 kg
GP.2300. A/B.A	421 250	Varavoimalaite 2091 / 2300 kVA / Open / Autom.	Baudouin - 16M33G2250/5 - Meccalte - ECO46-1.5L/4	Greenpower GP2300 A/B-A / 6000 X 2220 X 2750 / 18700 kg
GP.2300. SM/B.A	467 599	Varavoimalaite 2091 / 2300 kVA / Soundproof / Autom.	Baudouin - 16M33G2250/5 - Meccalte - ECO46-1.5L/4	Greenpower GP2300 SM/B-A / 9000 X 2460 X 3300 / 23500 kg
GP.2310. A/B.A	449 405	Varavoimalaite 2091 / 2300 kVA / Open / Autom.	Baudouin - 20M33G2250/5 - Meccalte - ECO46-1.5L/4	Greenpower GP2310 A/B-A / 7000 X 2220 X 2750 / 18700 kg
GP.2310. SM/B.A	496 746	Varavoimalaite 2091 / 2300 kVA / Soundproof / Autom.	Baudouin - 20M33G2250/5 - Meccalte - ECO46-1.5L/4	Greenpower GP2310 SM/B-A / 9000 X 2460 X 3300 / 22800 kg
GP.2310.A/M.A	661 786	Varavoimalaite 2100 / 2310 kVA / Open / Autom.	MTU - 16V4000 G14F - Meccalte - ECO46-1L/4	Greenpower GP2310A/M-A / 6100 X 2300 X 2500 / 14500 kg
GP.2310.SM/M.A	721 032	Varavoimalaite 2100 / 2310 kVA / Soundproof / Autom.	MTU - 16V4000 G14F - Meccalte - ECO46-1L/4	Greenpower GP2310SM/M-A / 10000 X 2460 X 3300 / 25600 kg
GP.2500.A/C.A	641 627	Varavoimalaite 2250 / 2500 kVA / Open / Autom.	Cummins - QSK60G8 (E) - Meccalte - ECO46-1.5L/4	Greenpower GP2500A/C-A / 6700 X 2500 X 3250 / 15500 kg
GP.2500.A/MI.A	576 052	Varavoimalaite 2280 / 2508 kVA / Open / Autom.	Mitsubishi - S16R2-PTAW - Meccalte - ECO46-1.5L/4	Greenpower GP2500A/MI-A / 6000 X 2200 X 2600 / 15500 kg
GP.2500.A/P.A	550 139	Varavoimalaite 2250 / 2500 kVA / Open / Autom.	Perkins - 4016-61TRG3 - Meccalte - ECO46-1.5L/4	Greenpower GP2500A/P-A / 6200 X 2350 X 2500 / 15800 kg
GP.2500.SM/MI.A	636 091	Varavoimalaite 2280 / 2508 kVA / Soundproof / Autom.	Mitsubishi - S16R2-PTAW - Meccalte - ECO46-1.5L/4	Greenpower GP2500SM/MI-A / 10000 X 2460 X 3300 / 26500 kg
GP.2500.SM/P.A	587 262	Varavoimalaite 2250 / 2500 kVA / Soundproof / Autom.	Perkins - 4016-61TRG3 - Meccalte - ECO46-1.5L/4	Greenpower GP2500SM/P-A / 9000 X 2460 X 2820 / 19800 kg
GP.2530. A/B.A	492 083	Varavoimalaite 2280 / 2530 kVA / Open / Autom.	Baudouin - 20M33G2500/5 - Meccalte - ECO46-2L/4	Greenpower GP2530 A/B-A / 7000 X 2220 X 2750 / 19100 kg
GP.2530. SM/B.A	542 262	Varavoimalaite 2280 / 2530 kVA / Soundproof / Autom.	Baudouin - 20M33G2500/5 - Meccalte - ECO46-2L/4	Greenpower GP2530 SM/B-A / 9000 X 2460 X 3300 / 24000 kg
GP.2530.A/M.A	745 694	Varavoimalaite 2300 / 2530 kVA / Open / Autom.	MTU - 16V4000 G24F - Meccalte - ECO46-1.5L/4	Greenpower GP2530A/M-A / 6100 X 2300 X 2500 / 14800 kg
GP.2530.SM/M.A	804 762	Varavoimalaite 2300 / 2530 kVA / Soundproof / Autom.	MTU - 16V4000 G24F - Meccalte - ECO46-1.5L/4	Greenpower GP2530SM/M-A / 10000 X 2460 X 3300 / 26100 kg
GP.2800. A/B.A	670 099	Varavoimalaite 2500 / 2750 kVA / Open / Autom.	Baudouin - 12M55G2750/5 (E) - Meccalte - ECO46-VL/4	Greenpower GP2800 A/B-A / 7000 X 2300 X 3000 / 19200 kg
GP.2800.A/M.A	942 302	Varavoimalaite 2500 / 2750 kVA / Open / Autom.	MTU - 20V4000 G14F (3E) - Meccalte - ECO46-2L/4	Greenpower GP2800A/M-A / 6100 X 3000 X 2500 / 0 kg
GP.2800.A/MI.A	712 857	Varavoimalaite 2500 / 2750 kVA / Open / Autom.	Mitsubishi - S16R2-PTAW2-E - Meccalte - ECO46-2L/4	Greenpower GP2800A/MI-A / 6000 X 2200 X 2600 / 16500 kg
GP.3100.A/C.A	932 024	Varavoimalaite 2750 / 3000 kVA / Open / Autom.	Cummins - QSK78G9 (E) - Meccalte - ECO46-VL/4	Greenpower GP3100A/C-A / 7000 X 2300 X 2800 / 17800 kg
GP.3100.A/M.A	1 164 504	Varavoimalaite 2800 / 3080 kVA / Open / Autom.	MTU - 20V4000 G24F (3E) - Meccalte - ECO46-VL/4	Greenpower GP3100A/M-A / 6100 X 3000 X 3000 / 0 kg
GP.3400.A/M.A	1 329 107	Varavoimalaite 3050 / 3355 kVA / Open / Autom.	MTU - 20V4000 G34F (3E) - Stamford - LVSI804T	Greenpower GP3400A/M-A / 6100 X 3000 X 3000 / 0 kg